



November 14, 2008

To Our Valued Customers:

Effective today, November 14, 2008 we have implemented a price REDUCTION on two of our product lines.

As a result of the decline in the market cost of brass, our Siam line of threaded bronze fittings and domestic red brass nipples have been reduced by 7-8%. We are pleased to be able to immediately pass these saving on to our customer base.

The new list prices for these lines are now available on our website at www.americiangranby.com, and are indicated in **BOLD** type. Catalog pages with list pricing can be viewed and downloaded for printing to update your AGI catalog. Excel files are also available for download on the site.

What follows is a list of the product groups that are impacted by this decrease. Along with this are instructions to access the AGI catalog pages and any Excel spreadsheets you might need from our website.

If you do not have access to our website, please contact your sales representative or Customer Service and we will forward you a copy of the Excel spreadsheet or the new catalog pages.

Sincerely,

Gary Palley
V.P. Sales & Marketing

INSTRUCTIONS FOR OBTAINING LIST PRICE CHANGE DATA - NOVEMBER 14, 2008

To obtain copies of our list price changes go to www.americangranby.com.

- Click the **GO** button to enter the "Wholesale Water Systems Accessories" division. On the bottom right you will see **CATALOG PAGE UPDATES**. You do not need a login or password to access this information.

There are two options for you to download.

- For an Excel file of list price changes in alpha numeric order click on the **11/14/08 List Price Change EXCEL file**. This Excel file can be re-sorted or filtered as you need and includes both old and new list prices plus the % change. This file can be used as a reference or update to your operating system.
- To print a .PDF version of the updated catalog pages click on the **11/14/08 Catalog Page Changes PDF file**. Print out the new catalog pages and insert them in your current AGI catalog, replacing any previous pages.

Product	Page Numbers
Threaded Bronze Fittings - Siam	12.25-12.29
Domestic Red Brass Nipples	12.48

7652 Morgan Road
Liverpool, New York 13090
(315) 451-1100
Fax: (315) 451-6928

www.americangranby.com



Threaded Bronze Fittings

Threaded Bronze 125 lb.

- Dimensions: ANSI B16.15
- Threads: ANSI B2.1
- Material: ASTM B584 (C83600)
- Imported. Manufactured for AGI in an ISO 9002 facility.

ISO 9002

SIAM - THAILAND

CHINA



B90L Series



B90L Reducer Series



B45L Series



B90SL Series

Part Number	Size	Ctn Qty	List Price
90 ° Elbow, fipt x fipt			
B90L1/8	1/8"	25	\$ 4.79
B90L1/4	1/4"	25	4.79
B90L3/8	3/8"	25	4.79
B90L1/2	1/2"	25	7.28
B90L3/4	3/4"	25	9.82
B90L1	1"	20	15.11
B90L11/4	1-1/4"	10	24.05
B90L11/2	1-1/2"	5	30.05
B90L2	2"	5	48.86
B90L21/2	2 1/2"	1	95.92
B90L3	3"	1	147.11
B90L4	4"	1	490.35

Part Number	Size	Ctn Qty	List Price
90 ° Elbow, Reducer fipt x fipt			
B90L1/2X3/8	1/2" x 3/8"	25	7.89
B90L3/4X1/2	3/4" x 1/2"	25	10.72
B90L1x1/2	1" x 1/2"	25	18.83
B90L1X3/4	1" x 3/4"	25	18.83
B90L11/4X1	1 1/4" x 1"	10	29.42

Part Number	Size	Ctn Qty	List Price
45° Elbows, fipt x fipt			
B45L1/8	1/8"	25	5.25
B45L1/4	1/4"	25	5.25
B45L3/8	3/8"	25	5.25
B45L1/2	1/2"	25	6.65
B45L3/4	3/4"	25	9.82
B45L1	1"	25	16.56
B45L11/4	1-1/4"	10	26.47
B45L11/2	1-1/2"	10	33.15
B45L2	2"	5	53.80
B45L21/2	2 1/2"	1	145.62
B45L3	3"	1	234.05
B45L4	4"	1	535.01

Part Number	Size	Ctn Qty	List Price
90 ° Street Elbow, fipt x mipt			
B90SL1/8	1/8"	25	7.28
B90SL1/4	1/4"	25	7.28
B90SL3/8	3/8"	25	7.28
B90SL1/2	1/2"	25	9.06
B90SL3/4	3/4"	25	12.80
B90SL1	1"	10	21.12
B90SL11/4	1-1/4"	10	32.38
B90SL11/2	1-1/2"	10	42.11
B90SL2	2"	5	71.45
B90SL21/2	2 1/2"	1	156.04
B90SL3	3"	1	234.05
B90SL4	4"	1	702.22

Part Number	Ctn Qty	List Price
90 ° Elbow, fipt x fipt		
TB90L1/8	50/600	\$ 3.28
TB90L1/4	35/420	3.28
TB90L3/8	45/270	3.28
TB90L1/2	50/200	4.96
TB90L3/4	30/90	6.72
TB90L1	20/60	10.35
TB90L11/4	20/40	16.43
TB90L11/2	10/20	20.54
TB90L2	8/16	33.42
TB90L21/2	1/15	65.62
TB90L3	1/10	100.62

Part Number	Ctn Qty	List Price
90 ° Elbow, Reducer fipt x fipt		
TB90L1/2X3/8	50/200	5.39
TB90L3/4X1/2	40/120	7.35
TB90L1x1/2	30/90	12.88
TB90L1X3/4	30/90	12.88
TB90L11/4X1	20/40	20.10

Part Number	Ctn Qty	List Price
45° Elbows, fipt x fipt		
TB45L1/8	50/600	3.58
TB45L1/4	35/420	3.58
TB45L3/8	50/300	3.58
TB45L1/2	50/200	4.55
TB45L3/4	40/120	6.72
TB45L1	20/60	11.33
TB45L11/4	20/40	18.10
TB45L11/2	15/30	22.68
TB45L2	9/18	36.79

Part Number	Ctn Qty	List Price
90 ° Street Elbow, fipt x mipt		
TB90SL1/8	50/600	4.96
TB90SL1/4	35/420	4.96
TB90SL3/8	40/240	4.96
TB90SL1/2	60/180	6.19
TB90SL3/4	30/90	8.74
TB90SL1	30/60	14.43
TB90SL11/4	20/40	22.13
TB90SL11/2	13/26	28.81
TB90SL2	7/14	48.86

Threaded Bronze Fittings




Threaded Bronze 125 lb.

- Dimensions: ANSI B16.15
- Threads: ANSI B2.1
- Material: ASTM B584 (C83600)
- Imported. Manufactured for AGI in an ISO 9002 facility.

ISO 9002

SIAM - THAILAND

CHINA



B45SL Series



BT Series



BT Reducer Series

Part Number	Size	Ctn Qty	List Price
45° Street Elbows, fipt x mipt			
B45SL1/8	1/8"	25	\$ 7.41
B45SL1/4	1/4"	25	7.41
B45SL3/8	3/8"	25	7.41
B45SL1/2	1/2"	25	9.06
B45SL3/4	3/4"	25	12.80
B45SL1	1"	10	21.12
B45SL11/4	1 1/4"	10	32.38
B45SL11/2	1 1/2"	5	43.39
B45SL2	2"	1	109.86

Tee, fipt x fipt x fipt			
BT1/8	1/8"	25	6.65
BT1/4	1/4"	25	6.65
BT3/8	3/8"	25	6.65
BT1/2	1/2"	25	8.43
BT3/4	3/4"	25	12.05
BT1	1"	10	21.41
BT11/4	1-1/4"	5	30.05
BT11/2	1-1/2"	5	41.30
BT2	2"	5	67.72
BT21/2	2 1/2"	1	181.90
BT3	3"	1	201.28
BT4	4"	1	668.61

Tee, Reducer fipt x fipt x fipt			
BT3/4X1/2	3/4 x 3/4 x 1/2"	10	14.45
BT3/4X3/4X1/4	3/4 x 3/4 x 1/4"	25	15.87
BT3/4X1	3/4 x 3/4 x 1"	10	28.73
BT1X1/4	1 x 1 x 1/4"	10	28.73
BT1X1/2	1 x 1 x 1/2"	10	28.73
BT1X3/4	1 x 1 x 3/4"	10	26.29
BT1X3/4X3/4	1 x 3/4 x 3/4"	10	28.73
BT1X3/4X1	1 x 3/4 x 1"	10	28.73
BT11/4X3/4	1 1/4 x 1 1/4 x 3/4"	10	40.30
BT11/4X1	1 1/4 x 1 1/4 x 1"	5	37.14
BT11/2X3/4	1 1/2 x 1 1/2 x 3/4"	5	51.18
BT11/2X1	1 1/2 x 1 1/2 x 1"	5	51.18
BT11/2X11/4	1 1/2 x 1 1/2 x 11/4"	5	51.18
BT2X3/4	2 x 2 x 3/4"	5	83.62
BT2X1	2 x 2 x 1"	5	83.62
BT2X11/2	2 x 2 x 1 1/2"	1	83.62

Part Number	Ctn Qty	List Price
45° Street Elbows, fipt x mipt		
TB45SL1/8	50/600	\$ 5.06
TB45SL1/4	35/420	5.06
TB45SL3/8	270	5.06
TB45SL1/2	100/200	6.19
TB45SL3/4	60/120	8.74
TB45SL1	30/60	14.43
TB45SL11/4	20/40	22.13
TB45SL11/2	15/30	29.69
TB45SL2	18	50.32

Tee, fipt x fipt x fipt		
TBT1/8	75/450	4.55
TBT1/4	50/300	4.55
TBT3/8	45/180	4.55
TBT1/2	40/120	5.77
TBT3/4	35/70	8.23
TBT1	20/40	14.64
TBT11/4	14/28	20.54
TBT11/2	11/22	28.26
TBT2	6/12	46.30
TBT3	1/6	137.66

Tee, Reducer fipt x fipt x fipt		
TBT3/4X1/2	45/90	9.88
TBT1X1/4	60	19.67
TBT1X1/2	35/70	19.67
TBT1X3/4	30/60	18.01
TBT1X3/4X1	50	19.67
TBT11/4X3/4	18/36	27.57
TBT11/4X1	18/36	25.41
TBT11/2X3/4	15/30	34.99
TBT11/2X1	13/26	34.99
TBT11/2X11/4	13/26	34.99
TBT2X3/4	9/18	57.18
TBT2X1	9/18	57.18
TBT2X11/2	8/16	57.18



Threaded Bronze Fittings

Threaded Bronze 125 lb.

- Dimensions: ANSI B16.15
- Threads: ANSI B2.1
- Material: ASTM B584 (C83600)
- Imported. Manufactured for AGI in an ISO 9002 facility.

ISO 9002

SIAM - THAILAND

CHINA



BCR Series



BC Series



BC Reducer Series

Case quantities
required
please for fittings
through 2"

Part Number	Size	Ctn Qty	List Price
Cross, fipt			
BCR1/8	1/8"	100	\$ 16.62
BCR1/4	1/4"	275	16.62
BCR3/8	3/8"	125	16.62
BCR1/2	1/2"	25	20.18
BCR3/4	3/4"	10	19.56
BCR1	1"	5	30.97
BCR11/4	1 1/4"	1	48.50
BCR11/2	1 1/2"	8	64.34
BCR2	2"	1	129.06

Part Number	Size	Ctn Qty	List Price
Couplings, fipt x fipt			
BC1/8	1/8"	25	5.08
BC1/4	1/4"	25	5.08
BC3/8	3/8"	25	5.08
BC1/2	1/2"	25	6.37
BC3/4	3/4"	25	8.43
BC1	1"	25	12.77
BC11/4	1-1/4"	10	19.92
BC11/2	1-1/2"	10	27.06
BC2	2"	5	44.56
BC21/2	2 1/2"	1	96.42
BC3	3"	1	133.71
BC4	4"	1	256.39

Part Number	Size	Ctn Qty	List Price
Couplings, Reducing fipt x fipt			
BC1/4X1/8	1/4 x 1/8"	25	5.42
BC3/8X1/8	3/8 x 1/8"	25	5.42
BC3/8X1/4	3/8" x 1/4"	25	5.42
BC1/2X1/8	1/2" X 1/8"	100	8.15
BC1/2X1/4	1/2 x 1/4"	25	6.78
BC1/2X3/8	1/2 x 3/8"	25	6.78
BC3/4X1/4	3/4 x 1/4"	25	11.17
BC3/4X3/8	3/4" X 3/8"	50	10.93
BC3/4X1/2	3/4 x 1/2"	25	10.06
BC1X3/8	1" X 3/8"	25	16.75
BC1X1/2	1 x 1/2"	25	16.75
BC1X3/4	1 x 3/4"	25	16.75
BC11/4X1/2	1-1/4 x 1/2"	10	29.87
BC11/4X3/4	1-1/4 x 3/4"	10	27.06
BC11/4X1	1-1/4 x 1"	10	27.06
BC11/2X1/2	1 1/2" X 1/2"	35	48.85
BC11/2X3/4	1 1/2" x 3/4"	10	38.54
BC11/2X1	1-1/2 x 1"	10	34.21
BC11/2X11/4	1-1/2 x 1-1/4"	10	34.21
BC2X1/2	2" X 1/2"	25	73.25
BC2X3/4	2" X 3/4"	15	73.25
BC2X1	2 x 1"	10	57.28
BC2X11/4	2 x 1-1/4"	10	50.89
BC2X11/2	2 x 1-1/2"	5	50.89

Part Number	Ctn Qty	List Price
Cross, fipt		
TBCR1/8	180	\$ 9.26
TBCR1/4	240	9.26
TBCR3/8	120	9.26
TBCR1/2	90	9.26
TBCR3/4	30/60	13.37
TBCR1	16/32	21.18
TBCR11/4	9/18	33.16
TBCR2	5/10	88.27

Part Number	Ctn Qty	List Price
Couplings, fipt x fipt		
TBC1/8		3.47
TBC1/4	40/480	3.47
TBC3/8	50/300	3.47
TBC1/2	60/240	4.38
TBC3/4	50/150	5.77
TBC1	25/75	8.71
TBC11/4	32/64	13.62
TBC11/2	18/36	18.50
TBC2	12/24	30.47

Part Number	Ctn Qty	List Price
Couplings, Reducing fipt x fipt		
TBC1/4X1/8	100/600	3.73
TBC3/8X1/8		3.73
TBC3/8X1/4	30/360	3.73
TBC1/2X1/8	300	4.62
TBC1/2X1/4	50/300	4.62
TBC1/2X3/8	40/240	4.62
TBC3/4X1/4	180	7.62
TBC3/4X3/8	180	6.88
TBC3/4X1/2	60/180	6.88

TBC1X1/2	25/100	11.46
TBC1X3/4	25/100	11.46
TBC11/4X1/2	25/75	20.45
TBC11/4X3/4	25/75	18.50
TBC11/4X1	25/75	18.50
TBC11/2X1/2	60	26.35
TBC11/2X3/4	30/60	26.35
TBC11/2X1	25/50	23.40
TBC11/2X11/4	24/48	23.40
TBC2X1/2	42	39.16
TBC2X3/4	42	39.16
TBC2X1	21/42	39.16
TBC2X11/4	18/36	34.79
TBC2X11/2	18/36	34.79



™

In the United States: Phone (800) 776-2266 Fax (800) 729-3299
In Canada: Phone (866) 503-5523 Fax (888) 562-2095

www.americangranby.com

11/14/08

12.27

Threaded Bronze Fittings



Threaded Bronze 125 lb.

- Dimensions: ANSI B16.15
- Threads: ANSI B2.1
- Material: ASTM B584 (C83600)
- Imported. Manufactured for AGI in an ISO 9002 facility.

ISO 9002

SIAM - THAILAND

CHINA



BB Series

Part Number	Size	Ctn Qty	List Price
Bushing, mipt x fipt			
BB1/4X1/8	1/4 x 1/8"	25	\$ 4.05
BB3/8X1/8	3/8 x 1/8"	25	4.05
BB3/8X1/4	3/8 x 1/4"	25	4.05
BB1/2X1/8	1/2" x 1/8"	25	4.81
BB1/2X1/4	1/2 x 1/4"	25	4.05
BB1/2X3/8	1/2 x 3/8"	25	4.05
BB3/4X1/8	3/4 x 1/8"	25	6.72
BB3/4X1/4	3/4 x 1/4"	25	6.72
BB3/4X3/8	3/4 x 3/8"	25	5.56
BB3/4X1/2	3/4 x 1/2"	25	5.56
BB1X1/4	1 x 1/4"	25	10.23
BB1X3/8	1" X 3/8"	125	10.23
BB1X1/2	1 x 1/2"	25	8.43
BB1X3/4	1 x 3/4"	25	8.43
BB11/4X1/4	1-1/4 x 1/4"	25	17.21
BB11/4X3/8	1 1/4" X 3/8"	25	22.30
BB11/4X1/2	1 1/4" x 1/2"	25	17.21
BB11/4X3/4	1-1/4 x 3/4"	25	14.33
BB11/4X1	1-1/4 x 1"	25	14.33
BB11/2X1/2	1-1/2 x 1/2"	25	22.35
BB11/2X3/4	1-1/2 x 3/4"	25	22.35
BB11/2X1	1-1/2 x 1"	25	18.30
BB11/2X11/4	1-1/2 x 1-1/4"	25	18.30
BB2X1/2	2 X 1/2"	10	32.60
BB2X3/4	2 x 3/4"	10	32.60
BB2X1	2 x 1"	10	32.60
BB2X11/4	2 x 1-1/4"	10	27.06
BB2X11/2	2 x 1-1/2"	10	27.06
BB21/2X1	2 1/2" X 1	5	83.27
BB21/2X11/4	2 1/2" X 1 1/4"	5	83.27
BB21/2X11/2	2 1/2" X 1 1/2"	5	83.27
BB21/2X2	2-1/2 x 2"	5	54.13
BB3X1	3" X 1"	5	320.51
BB3X2	3 x 2"	5	81.87
Caps, fipt			
BCP1/8	1/8"	25	3.81
BCP1/4	1/4"	25	3.81
BCP3/8	3/8"	25	3.81
BCP1/2	1/2"	25	5.08
BCP3/4	3/4"	25	6.72
BCP1	1"	25	10.43
BCP11/4	1-1/4"	25	15.96
BCP11/2	1-1/2"	10	21.54
BCP2	2"	10	36.55
BCP21/2	2 1/2"	5	90.90
BCP3	3"	1	144.97
BCP4	4"	1	213.37



BCP Series

Part Number	Ctn Qty	List Price
Bushing, mipt x fipt		
TBB1/4X1/8	240/1440	\$ 2.75
TBB3/8X1/8	100/600	2.75
TBB3/8X1/4	100/600	2.75
TBB1/2X1/8	150/600	3.30
TBB1/2X1/4	100/600	2.75
TBB1/2X3/8	100/600	2.75
TBB3/4X1/8	50/300	4.58
TBB3/4X1/4	50/300	4.58
TBB3/4X3/8	50/300	3.81
TBB3/4X1/2	50/300	3.81
TBB1X1/4	50/200	6.97
TBB1X3/8	200	6.97
TBB1X1/2	50/200	5.77
TBB1X3/4	50/200	5.77
TBB11/4X1/4	30/120	11.79
TBB11/4X1/2	30/120	11.79
TBB11/4X3/4	30/120	9.80
TBB11/4X1	30/120	9.80
TBB11/2X1/2	25/75	15.29
TBB11/2X3/4	25/75	15.29
TBB11/2X1	25/75	12.51
TBB11/2X11/4	25/75	12.51
TBB2X1/2	60	22.28
TBB2X3/4	20/60	22.28
TBB2X1	20/60	22.28
TBB2X11/4	20/60	18.50
TBB2X11/2	20/60	18.50
TBB21/2X2	1/32	37.02
TBB3X1	1/20	65.20
TBB3X2	1/20	56.00
Caps, fipt		
TBCP1/8	100/1200	2.59
TBCP1/4	200/800	2.59
TBCP3/8	50/600	2.59
TBCP1/2	50/300	3.47
TBCP3/4	40/240	4.58
TBCP1	35/140	7.16
TBCP11/4	25/100	10.90
TBCP11/2	25/75	14.73
TBCP2	18/54	24.99



Threaded Bronze Fittings


Threaded Bronze 125 lb.

- Dimensions: ANSI B16.15
- Threads: ANSI B2.1
- Material: ASTM B584 (C83600)
- Imported. Manufactured for AGI in an ISO 9002 facility.

ISO 9002

SIAM - THAILAND

CHINA



BLN Series



BP Series



BU Series

Part Number	Size	Ctn Qty	List Price
Lock Nut			
BLN1/8	1/8"	25	\$ 2.64
BLN1/4	1/4"	25	2.64
BLN3/8	3/8"	25	2.64
BLN1/2	1/2"	25	4.05
BLN3/4	3/4"	25	4.81
BLN1	1"	25	7.14
BLN11/4	1 1/4"	25	11.64
BLN11/2	1 1/2"	25	15.08
BLN2	2"	10	23.97
Square Head Plug, mipt			
BP1/8	1/8"	25	4.41
BP1/4	1/4"	25	4.41
BP3/8	3/8"	25	4.41
BP1/2	1/2"	25	5.04
BP3/4	3/4"	25	5.73
BP1	1"	25	7.56
BP11/4	1-1/4"	25	11.26
BP11/2	1-1/2"	25	14.36
BP2	2"	10	22.60
BP21/2	2 1/2"	5	53.57
BP3	3"	5	61.96
BP4	4"	1	167.18
Threaded Union, fipt x fipt			
BU1/8	1/8"	25	20.09
BU1/4	1/4"	25	16.96
BU3/8	3/8"	25	16.98
BU1/2	1/2"	25	18.51
BU3/4	3/4"	25	25.58
BU1	1"	10	33.88
BU11/4	1-1/4"	5	49.60
BU11/2	1-1/2"	5	58.63
BU2	2"	1	90.23
BU21/2	2 1/2"	1	245.24
BU3	3"	1	274.16
BU4	4"	1	835.89

Part Number	Ctn Qty	List Price
Lock Nut		
TBLN1/8	100/600	\$ 1.78
TBLN1/4	100/400	1.78
TBLN3/8	1000	1.78
TBLN1/2	100/600	2.75
TBLN3/4	50/300	3.30
TBLN1	60/240	4.88
TBLN11/4	30/120	7.94
TBLN11/2	25/100	10.32
TBLN2	30/60	16.40
Square Head Plug, mipt		
TBP1/8	90/1080	3.01
TBP1/4	75/900	3.01
TBP3/8	45/540	3.01
TBP1/2	40/480	3.45
TBP3/4	35/300	3.93
TBP1	40/160	5.16
TBP11/4	25/100	7.72
TBP11/2	24/72	9.80
TBP2	15/45	15.47
TBP3	1/30	40.94
Threaded Union, fipt x fipt		
TBU1/4	180	11.63
TBU3/8	35/140	11.63
TBU1/2	30/120	12.64
TBU3/4	25/75	17.51
TBU1	20/40	23.18
TBU11/4	18/36	33.94
TBU11/2	12/24	40.09
TBU2	8/16	61.72
TBU3	1/5	187.50

Threaded Bronze Fittings - Chrome Plated



Threaded Bronze 125 lb. Fitting Specifications:

- Dimensions: ANSI B16.15
- Threads: ANSI B2.1
- Material: ASTM B584 (C83600)
- Imported. Manufactured for AGI in an ISO 9002 facility.

ISO 9002



CP90L Series



CP45L Series



CP90SL Series



CPT Series



CPC Series

Part Number	Size	Ctn Qty	List Price
90 ° Elbow, fipt x fipt			
CP90L3/8	3/8"	25	\$ 34.99
CP90L1/2	1/2"	25	34.99
CP90L3/4	3/4"	25	46.80
CP90L1	1"	25	76.13
45° Elbows, fipt x fipt			
CP45L3/8	3/8"	25	43.01
CP45L1/2	1/2"	25	43.01
CP45L3/4	3/4"	25	61.07
CP45L1	1"	25	104.19
90 ° Street Elbow, fipt x mipt			
CP90SL3/8	3/8"	25	46.80
CP90SL1/2	1/2"	25	46.80
CP90SL3/4	3/4"	25	64.41
CP90SL1	1"	10	105.38
Tee, fipt x fipt x fipt			
CPT3/8	3/8"	25	41.09
CPT1/2	1/2"	25	41.09
CPT3/4	3/4"	25	58.40
CPT1	1"	10	105.38
Couplings, fipt x fipt			
CPC3/8	3/8"	25	29.26
CPC1/2	1/2"	25	29.26
CPC3/4	3/4"	25	41.09
CPC1	1"	25	70.09



Nipples - Schedule 80 PVC, CPVC



Schedule 80 PVC and CPVC Nipple Features:

- Sturdy, Sch 80 PVC, CPVC
- Chemical Resistant.
- Gray or white (1/2" thru 2") in Sch 80 PVC.
- Threaded on both ends.
- Standard carton quantity of 50 (1/2" diam) or 25 (3/4" thru 2" diam).
- Threaded one end only (TOE) available upon request.
- Clear available upon request.

ORDER BY SIZE ONLY (DIAMETER X LENGTH)

EXAMPLES: **1/2x3** FOR GRAY PVC

1/2x3W FOR WHITE PVC

CPVC1xCLOSE FOR CPVC

PIPE DIA.	LENGTH CLOSE	SCHEDULE 80 PVC NIPPLE LIST PRICES-GRAY & WHITE (SHADED AREA INDICATES SIZES AVAILABLE IN WHITE PVC)										
		CLOSE	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
1/4"	7/8"	.83		1.01		1.05	1.24					
3/8"	1"	.83		1.01								
1/2"	1 1/8"	.54	.62	.62	.67	.70	.78	.95	1.02	1.20	1.42	1.53
3/4"	1 3/8"	.58	.62	.67	.70	.74	.90	1.05	1.24	1.44	1.71	1.85
1"	1 1/2"	.84		.98	1.08	1.10	1.29	1.60	1.76	2.08	2.48	2.76
1 1/4"	1 5/8"	1.21		1.33	1.43	1.57	1.80	2.13	2.38	2.89	3.38	3.81
1 1/2"	1 3/4"	1.51		1.67	1.76	1.91	2.24	2.52	2.89	3.48	3.99	4.49
2"	2"	1.99			2.24	2.38	2.81	3.28	3.65	4.48	5.28	6.05
3"		7.23				8.70	10.19		13.67	15.43	19.16	22.78
4"		11.83					13.63		17.26	20.47	24.67	28.85

PIPE DIA.	LENGTH	SCHEDULE 80 PVC NIPPLE LIST PRICES PRE-CUT PIPE THREADED BOTH ENDS				
		18"	24"	30"	36"	48"
1/2"		2.09	2.53	3.18	3.83	4.79
3/4"		2.50	3.15	3.96	4.87	6.44
1"		3.96	4.70		7.03	8.97
1 1/4"		5.80				14.53
1 1/2"			9.35		12.57	
2"					16.62	
3"		29.43	37.87			

SCHEDULE 80 CPVC PIPE NIPPLES			
PART NO.	SIZE	CTN QTY	LIST PRICE
CPVC1xCLOSE	1 X CLOSE	25	\$ 2.40
CPVC11/2xCLOSE	1 1/2 x CLOSE	25	3.48
CPVC11/2X6	1 1/2 X 6	25	10.03
CPVC11/2x8	1 1/2 x 8	25	12.19
CPVC11/2X12	1 1/2 X 12	25	18.98
CPVC2xCLOSE	2 X CLOSE	25	5.80
CPVC2X6	2 X 6	25	14.30
CPVC2x8	2 x 8	25	16.93
CPVC2X12	2 X 12	25	26.09
CPVC2x24	2 x 24	BULK	43.74



Nipples - Red Brass, Chrome Plated Red Brass



Red Brass Nipple Features:

- Red Brass pipe conforms to ASTM B43-91
- 85% copper, 15% zinc, no lead
- Made in the U.S.A.
- Manufactured for AGI in an ISO 9002 facility.
- Standard carton quantity is 25 pieces through 1" diameter.
- Standard carton quantity is 10 pieces 1 1/4" - 2" diameter.

ORDER BY PART NUMBER **B80** WITH SIZE (DIAMETER X LENGTH)

EXAMPLE: **B80-1/2 x 3**

ISO 9002

RED BRASS PIPE NIPPLE LIST PRICES												
PIPE DIA.	LENGTH CLOSE	CLOSE										
			1 1/2"	2"	2 1/2"	3"	3 1/2"	4"	4 1/2"	5"	5 1/2"	6"
1/8"	3/4"	\$2.52	2.86	3.06	3.52	3.72	4.03	4.51	5.10	5.53	6.03	6.42
1/4"	7/8"	2.86	3.28	3.67	4.06	3.68	5.32	6.01	6.79	7.40	8.03	8.66
3/8"	1"	3.05	3.40	4.06	4.73	5.45	6.28	7.02	7.95	8.69	9.47	10.22
1/2"	1 1/8"	3.75	4.32	5.12	6.08	7.13	8.15	9.33	10.34	11.42	12.53	13.55
3/4"	1 3/8"	5.44	5.74	6.89	7.99	9.20	10.56	11.96	13.32	14.70	16.04	16.64
1"	1 1/2"	8.00		9.82	11.45	13.07	15.12	16.95	18.90	20.91	22.92	24.89
1 1/4"	1 5/8"	12.19		13.67	14.65	18.90	20.61	23.80	27.68	29.06	30.91	34.61
1 1/2"	1 3/4"	15.27		16.36	18.84	22.45	24.82	29.30	31.43	36.49	38.03	41.27
2"	2"	23.44			25.50	28.96	34.35	36.04	40.24	44.52	48.90	53.10



Chrome Plated Red Brass Nipple Features:

- Red brass pipe conforms to ASTM B43-91
- 85% copper, 15% zinc, no lead.
- Made in the U.S.A.
- Manufactured for AGI in an ISO 9002 facility.
- Standard carton quantity is 25.

ORDER BY PART NUMBER **CP80** WITH SIZE (DIAMETER X LENGTH)

EXAMPLE: **CP80-1/2 x 3**

ISO 9002

CHROME PLATED RED BRASS PIPE NIPPLE LIST PRICES												
PIPE DIA.	LENGTH CLOSE	CLOSE										
			1 1/2"	2"	2 1/2"	3"	3 1/2"	4"	4 1/2"	5"	5 1/2"	6"
3/8"	1"	\$ 6.42	7.59	9.23	9.96	12.23	13.20	15.67	16.72	18.32	19.89	21.52
1/2"	1 1/8"	8.55	9.88	11.64	13.84	16.22	18.52	21.25	23.04	25.39	27.86	30.91
3/4"	1 3/8"	13.95		17.56		23.49			33.34			
1"	1 1/2"	20.56		25.36		34.09		44.39		54.73	59.95	65.36