

PEX, PE-RT & RADIANT TUBING, FITTINGS & ACCESSORIES



STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.

CanPex™ UV Tubing	1
CanPex™ OXY Oxygen Barrier Radiant Tubing	2
PEX & Radiant Valves	9-10
PEX Insert Fittings - NL Brass	13-15
PEX Insert Fittings - PAL	16
PEX Tubing Installation Accessories	5-6
Push Fittings	17-18
Radiant Manifolds & Accessories	11-12
Tubing Cutters	7
Vipert™ Potable Tubing	3
Vipert™ Radiant Tubing	4


CANPEX™ UV Plus Tubing



PEX Tubing



*** Minimum order
20 assorted
CANPEX/VIPERT
bundles shipped to
one location.**



CANPEX™ UV PLUS Tubing Features:

- Single layer PEX in white, red and blue.
- NSF-PW PEX 5306 certification for maximum protection against UV radiation and chlorine resistance.
- 100% continuous hot water recirculation up to 140°F.
- Includes metal deactivation additive to protect against polymer degradation.
- 100 PSI@180°F, 160 PSI@73°F SDR-9
- CSA B137.5
- ASTM F876/F877/F2023
- CL-R/CL-TD
- CAN/ULC S101/UL263, CAN/ULC S102.2-03/UL E84, CTS-OD Coils



**STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.**

CB SUBCAT CODE #74/75.
PEX Potable Tubing

Nominal Size	Type	Length	Bundle Qty *	PART NUMBER per COLOR			List Price
				WHITE	RED	BLUE	
CANPEX™ UV PLUS TUBING							
1/4" (3/8" OD)	Coil	100'		PX1C1			\$0.63/ft
1/4" (3/8" OD)	Coil	500'		PX1C5			0.63/ft
1/4" (3/8" OD)	Coil	1000'		PX1C10			0.63/ft
3/8" (1/2" OD)	Sticks	20'	1000'		PXR2L10	PXB2L10	0.89/ft
3/8" (1/2" OD)	Coil	100'		PX2C1	PXR2C1	PXB2C1	0.84/ft
3/8" (1/2" OD)	Coil	250'		PX2C2.5	PXR2C2.5	PXB2C2.5	0.84/ft
3/8" (1/2" OD)	Coil	500'		PX2C5	PXR2C5	PXB2C5	0.84/ft
3/8" (1/2" OD)	Coil	1000'		PX2C10	PXR2C10	PXB2C10	0.84/ft
1/2" (5/8" OD)	Sticks	10'	500'	PX3L-S	PXR3L-S	PXB3L-S	1.02/ft
1/2" (5/8" OD)	Sticks	20'	500'	PX3L5	PXR3L5	PXB3L5	1.02/ft
1/2" (5/8" OD)	Coil	100'		PX3C1	PXR3C1	PXB3C1	0.96/ft
1/2" (5/8" OD)	Coil	250'		PX3C2.5	PXR3C2.5	PXB3C2.5	0.96/ft
1/2" (5/8" OD)	Coil	300'		PX3C3	PXR3C3	PXB3C3	0.96/ft
1/2" (5/8" OD)	Coil	500'		PX3C5	PXR3C5	PXB3C5	0.96/ft
1/2" (5/8" OD)	Coil	1000'		PX3C10	PXR3C10	PXB3C10	0.96/ft
3/4" (7/8" OD)	Sticks	10'	250'	PX4L-S	PXR4L-S	PXB4L-S	1.77/ft
3/4" (7/8" OD)	Sticks	20'	200'	PX4L2	PXR4L2	PXB4L2	1.77/ft
3/4" (7/8" OD)	Coil	100'		PX4C1	PXR4C1	PXB4C1	1.67/ft
3/4" (7/8" OD)	Coil	250'		PX4C2.5	PXR4C2.5	PXB4C2.5	1.67/ft
3/4" (7/8" OD)	Coil	300'		PX4C3	PXR4C3	PXB4C3	1.67/ft
3/4" (7/8" OD)	Coil	500'		PX4C5	PXR4C5	PXB4C5	1.67/ft
3/4" (7/8" OD)	Coil	1000'		PX4C10	PXR4C10	PXB4C10	1.67/ft
1" (1 1/8" OD)	Sticks	10'	100'	PX5L-S			3.21/ft
1" (1 1/8" OD)	Sticks	20'	100'	PX5L1	PXR5L1	PXB5L1	3.21/ft
1" (1 1/8" OD)	Coil	100'		PX5C1	PXR5C1	PXB5C1	3.03/ft
1" (1 1/8" OD)	Coil	250'		PX5C2.5	PXR5C2.5	PXB5C2.5	3.03/ft
1" (1 1/8" OD)	Coil	300'		PX5C3	PXR5C3	PXB5C3	3.03/ft
1" (1 1/8" OD)	Coil	500'		PX5C5	PXR5C5	PXB5C5	3.03/ft
1" (1 1/8" OD)	Coil	1000'		PX5C10			3.03/ft
1 1/4" (1 3/8" OD)	Sticks	20'	100'	PX6L1			6.45/ft

CANPEX™ UV PLUS TUBING - MANAPAC REELS

				Price per reel	
3/8" (1/2" OD)	Reel	500'		PXM2R5	PXM2B5 614.80/reel
1/2" (5/8" OD)	Reel	300'		PXM3R3	PXM3B3 477.90/reel
3/4" (7/8" OD)	Reel	100'		PXM4R1	PXM4B1 322.78/reel

CANPEX™ OXY Oxygen Barrier Radiant PEX Tubing



PEX OXY Tubing

CANPEX™ OXY Oxygen Barrier Tubing Features:

- For use in both residential and commercial hydronic radiant heating systems.
- Extruded with an oxygen barrier layer to prevent system component corrosion.
- Manufactured and tested to the requirements of ASTM F876/F877/F2023 and to CSA B137.5.
- 100 PSI@180°F, 160 PSI@73°F SDR-9 CTS-OD Coils
- DIN 4726 Standard
- Third Party Certified
- CAN/ELC S101/UL 263, CAN/ULC S102.2-3/E84



STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.

CB SUBCAT CODE #79
OXY BARRIER Radiant Tubing

Nominal Size	Type	Length	Bundle Qty *	Color	Part Number	List Price
CANPEX™ OXY Oxygen Barrier PEX TUBING						
3/8" (1/2" OD)	Coil	300'		OXY Red	PXOB2C3	\$ 0.97/ft
3/8" (1/2" OD)	Coil	1000'		OXY Red	PXOB2C10	0.97/ft
1/2" (5/8" OD)	Sticks	20'	500'	OXY Red	PXOB3L5	1.17/ft
1/2" (5/8" OD)	Coil	100'		OXY Red	PXOB3C1	1.10/ft
1/2" (5/8" OD)	Coil	250'		OXY Red	PXOB3C2.5	1.10/ft
1/2" (5/8" OD)	Coil	300'		OXY Red	PXOB3C3	1.10/ft
1/2" (5/8" OD)	Coil	500'		OXY Red	PXOB3C5	1.10/ft
1/2" (5/8" OD)	Coil	600'		OXY Red	PXOB3C6	1.10/ft
1/2" (5/8" OD)	Coil	1000'		OXY Red	PXOB3C10	1.10/ft
1/2" (5/8" OD)	Coil	1200'		OXY Red	PXOB3C12	1.10/ft
5/8" (3/4" OD)	Coil	100'		OXY Red	PXOB58C1	1.85/ft
5/8" (3/4" OD)	Coil	300'		OXY Red	PXOB58C3	1.85/ft
5/8" (3/4" OD)	Coil	400'		OXY Red	PXOB58C4	1.85/ft
5/8" (3/4" OD)	Coil	500'		OXY Red	PXOB58C5	1.85/ft
5/8" (3/4" OD)	Coil	1000'		OXY Red	PXOB58C10	1.85/ft
3/4" (7/8" OD)	Stick	20'	200'	OXY Red	PXOB4L2	2.24/ft
3/4" (7/8" OD)	Coil	100'		OXY Red	PXOB4C1	2.11/ft
3/4" (7/8" OD)	Coil	250'		OXY Red	PXOB4C2.5	2.11/ft
3/4" (7/8" OD)	Coil	300'		OXY Red	PXOB4C3	2.11/ft
3/4" (7/8" OD)	Coil	500'		OXY Red	PXOB4C5	2.11/ft
3/4" (7/8" OD)	Coil	1000'		OXY Red	PXOB4C10	2.11/ft
1" (1 1/8" OD)	Stick	20'	100'	OXY Red	PXOB5L1	4.58/ft
1" (1 1/8" OD)	Coil	100'		OXY Red	PXOB5C1	4.32/ft
1" (1 1/8" OD)	Coil	250'		OXY Red	PXOB5C2.5	4.32/ft
1" (1 1/8" OD)	Coil	300'		OXY Red	PXOB5C3	4.32/ft
1" (1 1/8" OD)	Coil	500'		OXY Red	PXOB5C5	4.32/ft
1" (1 1/8" OD)	Coil	1000'		OXY Red	PXOB5C10	4.32/ft



* Minimum order
20 assorted
CANPEX/VIPERT
bundles shipped to
one location.



VIPERT™ Potable Tubing Features:

- VIPERT polyethylene raised temperature tubing is based on patented technology and made with Hypertherm PE-RT resins from The Dow Chemical Company.
- VIPERT provides increased flexibility and excellent hydrostatic strength at high temperatures and burst pressures that surpass required industry standards.
- Offers improved flexibility with relaxed memory for less spring back than PEX. Maintains excellent flexibility in extreme cold or hot environments.
- Compatible with all popular fittings systems: F-1960, F-1807 and F-2159
- Can be used with cold expansion, crimp, brass and push fittings.
- VIPERT is recyclable and requires less energy to produce than PEX.
- 25 year warranty.
- 100 PSI@180°F, 200 PSI@73°F SDR-9
- CSA B137.18
- ASTM D2769, ASTM E84
- CAN/ULC S101/UL263, CAN/ULC S102.2-03



**STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.**

CB SUBCAT CODE #741
PE-RT Potable Tubing



*** Minimum order
20 assorted
CANPEX/VIPERT
bundles shipped to
one location.**

Nominal Size	Type	Length	Bundle Qty *	PART NUMBER per COLOR			List Price
				WHITE	RED	BLUE	
VIPERT™ POTABLE TUBING							
1/2"	Sticks	10'	500'	PRT3L-S	PRTR3L-S	PRTB3L-S	\$ 1.02/ft
1/2"	Sticks	20'	500'	PRT3L5	PRTR3L5	PRTB3L5	1.02/ft
1/2"	Coil	100'		PRT3C1	PRTR3C1	PRTB3C1	0.96/ft
1/2"	Coil	250'			PRTR3C2.5	PRTB3C2.5	0.96/ft
1/2"	Coil	300'		PRT3C3	PRTR3C3	PRTB3C3	0.96/ft
1/2"	Coil	500'		PRT3C5	PRTR3C5	PRTB3C5	0.96/ft
1/2"	Coil	1000		PRT3C10	PRTR3C10	PRTB3C10	0.96/ft
3/4"	Sticks	10'	250'	PRT4L-S	PRTR4L-S	PRTB4L-S	1.77/ft
3/4"	Sticks	20'	200'	PRT4L2	PRTR4L2	PRTB4L2	1.77/ft
3/4"	Coil	100'		PRT4C1	PRTR4C1	PRTB4C1	1.67/ft
3/4"	Coil	250'			PRTR4C2.5	PRTB4C2.5	1.67/ft
3/4"	Coil	300'		PRT4C3	PRTR4C3	PRTB4C3	1.67/ft
3/4"	Coil	500'		PRT4C5	PRTR4C5	PRTB4C5	1.67/ft
3/4"	Coil	1000'		PRT4C10	PRTR4C10	PRTB4C10	1.67/ft
1"	Sticks	10'	100'	PRT5L-S	PRTR5L-S	PRTB5L-S	3.21/ft
1"	Sticks	20'	100'	PRT5L1	PRTR5L1	PRTB5L1	3.21/ft
1"	Coil	100'		PRT5C1	PRTR5C1	PRTB5C1	3.03/ft
1"	Coil	300'		PRT5C3	PRTR5C3	PRTB5C3	3.03/ft
1"	Coil	500'		PRT5C5	PRTR5C5	PRTB5C5	3.03/ft
1"	Coil	1000'		PRT5C10			3.03/ft
1 1/4"	Sticks	20'	100'	PRT6L1	PRTR6L1	PRTB6L1	6.45/ft

VIPERT™ Oxy Barrier Radiant Tubing




VIPERT™ Oxy Barrier Radiant Tubing Features:

- VIPERT Radiant tubing is polyethylene raised temperature with oxy-barrier. Made with Dowlex PE-RT resins based on patented technology from The Dow Chemical Company.
- It is Ideal for hydronic radiant heating, cooling and snow melting systems utilizing water or a water/glycol mix as the heat or cold transfer medium.
- Offers improved flexibility with relaxed memory for less spring back than PEX. Maintains excellent flexibility in extreme cold or hot environments.
- Compatible with F-1960 cold expansion, crimp or push fittings systems.
- VIPERT is recyclable and requires less energy to produce than PEX.
- 25 year warranty.
- 100 PSI@180°F, 160 PSI@73°F SDR-9 CTS-OD Coils.
- Meets the requirements of ASTM F2623, ASTM E84.
- CAN/ULC-S101, UL 263, CAN/ULC S102.2.



**STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.**

**CB SUBCAT CODE #791
PE-RT OXY Radiant Tubing**



*** Minimum order
20 assorted
CANPEX/VIPERT
bundles shipped to
one location.**

Nominal Size	Type	Length	Bundle Qty *	Color	Part Number	List Price
VIPERT™ Oxygen Barrier TUBING						
1/2"	Sticks	20'	500' BDL	Green	PRT0B3L5	\$ 1.17/ft
1/2"	Coil	100'		Green	PRT0B3C1	1.10/ft
1/2"	Coil	250'		Green	PRT0B3C2.5	1.10/ft
1/2"	Coil	300'		Green	PRT0B3C3	1.10/ft
1/2"	Coil	400'		Green	PRT0B3C4	1.10/ft
1/2"	Coil	500'		Green	PRT0B3C5	1.10/ft
1/2"	Coil	600'		Green	PRT0B3C6	1.10/ft
1/2"	Coil	1000'		Green	PRT0B3C10	1.10/ft
1/2"	Coil	1200'		Green	PRT0B3C12	1.10/ft
5/8"	Coil	300'		Green	PRT0B58C3	1.85/ft
5/8"	Coil	500'		Green	PRT0B58C5	1.85/ft
5/8"	Coil	1000'		Green	PRT0B58C10	1.85/ft
3/4"	Sticks	20'	200' BDL	Green	PRT0B4L2	2.24/ft
3/4"	Coil	100'		Green	PRT0B4C1	2.11/ft
3/4"	Coil	250'		Green	PRT0B4C2.5	2.11/ft
3/4"	Coil	300'		Green	PRT0B4C3	2.11/ft
3/4"	Coil	500'		Green	PRT0B4C5	2.11/ft
3/4"	Coil	1000'		Green	PRT0B4C10	2.11/ft
1"	Sticks	20'	100' BDL	Green	PRT0B5L1	4.58/ft
1"	Coil	100'		Green	PRT0B5C1	4.32/ft
1"	Coil	300'		Green	PRT0B5C3	4.32/ft
1"	Coil	500'		Green	PRT0B5C5	4.32/ft

PEX Accessories:

- Approved for use with ASTM F876/F877 SDR-9 PEX plumbing and hydronic radiant heating systems incorporating ASTM F-1807 insert fittings.
- Copper crimp rings manufactured from UNS C10200 or UNS C12200 copper alloy and are annealed to 35-45 Rockwell 15T scale for ease of crimping.



**STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.**

CB SUBCAT CODE #782
Crimp Rings/Sleeves



Crimp Rings



Crimp Sleeves

Part Number	Size Description	Bag/Ctn Qty	List Price
COPPER CRIMP RINGS			
CBXCR2	Copper Crimp Ring for 3/8" PEX Tubing	100/2000	\$ 0.63
CBXCR3	Copper Crimp Ring for 1/2" PEX Tubing	100/1000	0.66
CBXCR58-B	Copper Crimp Ring Black for 5/8" PEX Tubing	100	1.11
CBXCR4	Copper Crimp Ring for 3/4" PEX Tubing	100/500	0.89
CBXCR5	Copper Crimp Ring for 1" PEX Tubing	50/250	1.15
CBXCR6	Copper Crimp Ring for 1 1/4" PEX Tubing	100/400	3.45

STAINLESS STEEL CRIMP SLEEVES			
CBXSS3	Stainless Steel Crimp Sleeve 1/2" PEX	50/5000	0.80
CBXSS4	Stainless Steel Crimp Sleeve 3/4" PEX	50/3200	1.12
CBXSS5	Stainless Steel Crimp Sleeve 1" PEX	25/1600	1.68

**STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.**

CB SUBCAT CODE #95
Tools



HCM
HADSSI

HAD
IHAD

Part Number	Size Description	Ctn Qty	List Price
CRIMPER TOOLS			
HCM2	3/8" Single Hand Copper Ring Crimper USA	1	\$ 239.19
HCM3	1/2" Single Hand Copper Ring Crimper USA	1	239.19
HCM4	3/4" Single Hand Copper Ring Crimper USA	1	239.19
HCM5	1" Single Hand Copper Ring Crimper USA	1	324.57
HAD3	1/2" Copper Ring Crimp Tool PEX USA	1	238.54
HAD4	3/4" Copper Ring Crimp Tool PEX USA	1	238.54
HAD34	1/2 X 3/4" Copper Ring Crimp Tool PEX USA	1	268.39
HAD5	1" Copper Ring Crimp Tool PEX USA	1	298.25

NEW 9358SAK Multi Head **Copper Ring** Crimper - 3/8", 1/2", 3/4", 1" USA 1/10 277.60



9358SAK

HADSS3I	1/2" PEX Single Hand SS SLEEVE Crimper Tool IMPORT	1	136.85
HADSS4I	3/4" PEX Single Hand SS SLEEVE Crimper Tool IMPORT	1	173.29
HADSS5I	1" PEX Single Hand SS SLEEVE Crimper Tool IMPORT	1	194.73
IHCM3	1/2" Single Hand Copper Ring Crimper IMPORT	1/20	129.47
IHCM4	3/4" Single Hand Copper Ring Crimper IMPORT	1/20	129.47
IHAD5	1" LONG HANDLE Copper Crimp Tool PEX IMPORT	1	172.28

* AGI warranty does not apply to PEX Crimp Tools. Refer to manufacturers warranty.

PEX Tubing Installation Accessories



PEXGrip® Series Pinch Clamp Features:

- Patented PEXGrip® Technology.
- Preset to grip tube.
- Prevents clamp from sliding for easier crimping.
- Provides a 360 leak-free seal.
- Narrow band for concentrated seal compression.
- Requires only one installation tool for all clamp sizes.
- Tamper-evident design.
- Stepless® Ear Clamps 167 for PEX.
- ASTM F2098 for use with ASTM F1807 and F2159 insert fittings, ASTM F876 PEX tubing and ASTM F877 PEX systems.



NEW




Standard PEX clamp
vs. PEXGrip® Clamp




Installation:

For proper Installation of clamps, use calibrated, genuine Oetiker installation tools.



1. Slip clamp over tubing.
The recommended distance (dimension) between the clamp and end of the tube is 1/8" - 1/4"



2. Close clamp ear with tool.
Tool will not release until clamp is fully closed.



3. IMPORTANT: For proper installation of Oetiker PEX clamps, full ear closure is required. Visually inspect clamp for correct closed ear form.

**STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.**

CB SUBCAT CODE #782
Crimp Rings

Part Number	Description	PEX Tube	Bag/Case Qty	List Price
OETIKER PEXGrip® STAINLESS STEEL PINCH CLAMPS				
CBXSSPG2	PEXGrip SS Pinch Clamps	3/8"	100/2000	\$ 0.77
CBXSSPG3	PEXGrip SS Pinch Clamps	1/2"	100/2000	1.00
CBXSSPG58	PEXGrip SS Pinch Clamps	5/8"	50/2500	1.59
CBXSSPG4	PEXGrip SS Pinch Clamps	3/4"	50/2000	1.24
CBXSSPG5	PEXGrip SS Pinch Clamps	1"	50/1000	1.71

NEW

PEX Tubing Installation Accessories

STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.

CB SUBCAT CODE #95
Tools



14100280



14100519

OETIKER Clamp Tools Features:

3-Handle Ratchet Pincers: Single handed installation, 1 tool for all sizes. Can be calibrated with GO/NO-GO gauge included. Heavy Duty, professional gauge. Lightweight for easy handling. Third handle makes crimping easier, reduces hand strain. Ratchet design helps ensure strong clamp closure. Recommended for closing Oetiker PEX clamps.

Hand Clamp Cutter: Quick and easy ear clamp cutting. Safest method for clamp removal. Soft molded grips distributes hand pressure and lessen risk of injury. Requires minimum hand force for 1/2" clamps.

Part Number	Size Description	Bag/Ctn Qty	List Price
OETIKER TUBING TOOLS			
14100280	HAND INSTALLATION RATCHET PINCER	1/20	\$ 126.55
14100519	HAND PINCH CLAMP CUTTER	1/20	75.27

• **STANDARD AGI DISCOUNTS APPLY to pipe and tube cutters below**

- 100 cuts PE, Rubber hose & PVC (Class & Sch 40) through 1"
- 135 cuts PE, Rubber hose through 1 1/2" and Class PVC through 1 1/4"



T Series Cutter

Part Number	Color	Blade Material	Cuts	Ctn Qty	List Price
HARVARD CONTRACTOR Pipe & Hose Cutters					
T100	Black	PTFE Coated Hardened Steel	Up to 1"	50	\$ 31.43
YT100	Yellow	PTFE Coated Hardened Steel	Up to 1"	50	31.43
T100SS	Black	Stainless Steel	Up to 1"	50	32.81
YT100SS	Yellow	Stainless Steel	Up to 1"	50	32.81
T135	Black	PTFE Coated Hardened Steel	11/4 or 11/2"	50	35.27
YT135	Yellow	PTFE Coated Hardened Steel	11/4 or 11/2"	50	35.27
T135SS	Black	Stainless Steel	11/4 or 11/2"	50	36.63
YT135SS	Yellow	Stainless Steel	11/4 or 11/2"	50	36.63
HARVARD CONTRACTOR Replacement Blades (includes 1 knock out pin) DP DOUBLE PACK					
BT100	PTFE Coated Hardened Steel Blade		T100, YT100	100	14.25
BT100SS	Stainless Steel Blade		T100SS, YT100SS	100	13.32
BT135	PTFE Coated Hardened Steel Blade		T135, YT135	100	16.26
BT135DP	PTFE Coated Hardened Steel Blades (2)		T135, YT135	100	29.66
BT135SS	Stainless Steel Blade		T135SS, YT135SS	100	14.95
BT135DPSS	Stainless Steel Blades (2)		T135SS, YT135SS	100	31.63

OETIKER PEX/PE-RT Tubing Cutters:

Hand PEX/PE-RT Tube Cutter: For PEX, PE-RT and Poly tubing. Cuts up to 1". Thumb activated lock. Die cast aluminum, soft molded, spring loaded handles. Replaceable V-shaped AEB-L razor stainless steel blade safely stores in jaws when locked. Designed with flats on the cutting cavity so tubing remains straight during cutting resulting in a straight cuts every time. Made in USA.

Radial Hand Tubing Cutter: For PEX, PERT tube. Cuts 1/2", 3/4" & 1" Compact tool cuts square, keeps it round. Circular cuts from tighter connections.



14100504

14100418

Part Number	Size Description	Ctn Qty	List Price
OETIKER PEX/PE-RT TUBING CUTTERS			
14100504	1" HAND PEX/PE-RT TUBE CUTTER HTC500	1/3	101.19
14100506	1" HAND PEX/PE-RT TUBE CUTTER BLADE 2pk	1/10	45.00
14100418	RADIAL HAND TUBE CUTTER	1/18	18.33

PEX Tubing Installation Accessories

STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.




CB SUBCAT CODE #74-75
PEX POTABLE Tubing



Ice Maker
Tubing



Part Number	Size Description	Bag/Ctn Qty	List Price
ICE MAKER TUBING 200 psi, CTS-OD SDR-11			
TB0C1	1/8" Nominal (1/4" OD) Natural PE	100'	\$ 44.00



Tube Clamps

STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.

**PLEASE NOTE MULTIPLE CB
SUBCAT PRICING CODES APPLY**


Part Number	Size/Description	Bag/Ctn Qty	List Price	SUBCAT CODE
TUBE CLAMPS				
CLJ2	3/8" J-Clamp with Nail	100/500	\$ 0.25	781
CLJ3	1/2" J-Clamp with Nail	100/500	0.16	781
CLJ4	3/4" J-Clamp with Nail	100/500	0.24	781
CLJ5	1" J-Clamp with Nail	50/250	0.35	781
RISERS				
RLX120	3/8" x 20" LAV Riser w/ compression ferrule	100	4.18	781
RLX130	3/8" x 30" LAV Riser w/ compression ferrule	100	5.92	781
RLX136	3/8" x 36" LAV Riser w/ compression ferrule	100	6.87	781
RKX112	3/8" x 12" CLOSET Riser w/ compression ferrule	100	4.11	781
RKX120	3/8" x 20" CLOSET Riser w/ compression ferrule	100	4.18	781
RXF1	FERRULE FOR 3/8 OD RISER"	100	0.12	781
BEND SUPPORT				
PTO3	1/2" Bend Support	10	3.22	76
PTO4	3/4" Bend Support	50	4.79	76
PEX CRIMP RING GAUGE				
HAC34	3/8, 1/2 and 3/4 GO-NO GO RING GAUGE	1	10.45	89



Risers



PTO Bend Support



HAC34 Caliper



Clip Clamp

NEW

CLIP CLAMP - IN STOCK		Tubing OD mm			
SW15G	1/2" Clip Clamp Gray	14.0-16.5	100	0.78	76
SW20G	3/4" Clip Clamp Gray	19.5-24.0	50	1.40	76
SW25G	1" Clap Clamp Gray	24.2-28.0	50	1.57	76

** Mount clip clamp then push tubing against clamp base. Jaws close & lock automatically.

PEX & Radiant Tubing Installation Valves

*** STANDARD AGI DISCOUNTS APPLY to items on this page.**



HFBV4-PEXNL Series

MATERIAL SPECIFICATIONS	
Handle Nut	Zinc Coated Steel
Handle	Zinc Coated Steel
Packing	PTFE
Packing Nut	Brass
Ball	Chrome Plated NL Brass
Seats	PTFE
Body	NL Forged Brass
End Adapter	NL Forged Brass

NO LEAD Forged Brass FULL Port Ball Valve with PEX Connections Features:

- Heavy pattern, full port, forged NO LEAD brass construction.
- PTFE seats, chrome plated NO LEAD brass ball.
- NBR double o-ring stem seal.
- Blow-out proof stem design.
- **400 PSI** W.O.G. non-shock; **125 PSI** S.W.P.
- PEX ends for use with PEX tubing connections.
- **Third party certified to NSF/ANSI 61&372.**



Part Number	Size	Ctn/Case Qty	List Price*
HFBV4-50PEXNL	1/2"	25/100	\$ 14.10
HFBV4-75PEXNL	3/4"	10/60	17.95
HFBV4-100PEXNL	1"	10/40	34.16



HFBV4-PEXDNL Series

MATERIAL SPECIFICATIONS	
Handle Nut	Stainless Steel
Handle	Zinc Coated Steel
Packing	PTFE
Ball	CP NL Brass
Seats	PTFE
Body	NL Forged Brass
End Adapter	NL Forged Brass

NO LEAD Forged Brass FULL Port Ball Valve with PEX Connections and DRAIN Features:

- Heavy pattern, full port, forged NO LEAD brass construction.
- PTFE seats, chrome plated NO LEAD brass ball.
- PTFE packing.
- Blow-out proof stem design.
- **400 PSI** W.O.G. non-shock; **125 PSI** S.W.P.
- PEX ends for use with PEX tubing connections.
- Drain cap.
- **Third party certified to NSF/ANSI 61 & 372.**



NEW

Part Number	Size	Ctn/Case Qty	List Price*
HFBV4-50PEXDNL	1/2"	10/100	\$ 15.76
HFBV4-75PEXDNL	3/4"	10/100	22.95
HFBV4-100PEXDNL	1"	10/80	29.02
HFBV4PEXDNL CAP	5/16"-24UNF	1	1.45



HFBV4-PEXSWNL Series

MATERIAL SPECIFICATIONS	
Handle Nut	Zinc Coated Steel
Handle	Zinc Coated Steel
Stem O-ring (2)	NBR
Ball	NL Brass
Seats	PTFE
Body	NL Forged Brass
End Adapter	NL Forged Brass

NO LEAD Forged Brass STANDARD Port Ball Valve with PEX x SWEAT Connections Features:

- Heavy pattern, standard port, forged NO LEAD brass construction.
- PTFE seats, chrome plated NO LEAD brass ball.
- NBR double o-ring stem seal.
- Blow-out proof stem design.
- **400 PSI** W.O.G. non-shock; **125 PSI** S.W.P.
- PEXxSWEAT ends for use with PEX tubing to copper tubing connections.
- **Third party certified to NSF/ANSI 61 & 372.**



Part Number	Size	Ctn/Case Qty	List Price*
HFBV4-50PEXSWNL	1/2"	25/100	\$ 15.17
HFBV4-75PEXSWNL	3/4"	10/60	17.53

PEX & Radiant Tubing Installation Valves

*** STANDARD AGI DISCOUNTS APPLY to items on this page.**



HFBV4-CENL Series

MATERIAL SPECIFICATIONS	
Handle Nut	Zinc Coated Steel
Handle	Zinc Coated Steel
Stem O-ring (2)	NBR
Ball	NL Brass
Seats	PTFE
Body	NL Forged Brass
End Adapter	NL Forged Brass

NO LEAD Forged Brass STANDARD Port Ball Valves with F1960 Cold Expansion Connections Features:

- Heavy pattern, standard port, forged NO LEAD brass construction.
- PTFE seats, chrome plated NO LEAD brass ball.
- NBR double o-ring stem seal.
- Blow-out proof stem design.
- **400 PSI** W.O.G. non-shock; **125 PSI** S.W.P.
- F1960 Cold Expansion ends for use with PEX tubing connections.
- **Third party certified to NSF/ANSI 61 & 372.**



LOW LEAD



Part Number	Size	Ctn/Case Qty	List Price *
HFBV4-50CENL	1/2"	25/100	\$16.80
HFBV4-75CENL	3/4"	10/60	23.50
HFBV4-100CENL	1"	10/40	32.90

NO LEAD Brass Chrome Plated Supply Valve with PEX, PUSH FIT and F1960 COLD EXPANSION Connections Features:

- Chrome Plated No Lead DZR Brass.
- 1/4 Turn ABS Oval Handle.
- For use with PEX, Push Fit and Cold Expansion tubing connections.
- Maximum pressure rating: 125 psi
- Maximum temperature rating: 180°F (82°C)
- Stem Packing: Double NBR o-ring.
- Seat Material: PTFE
- **Third party certified to NSF/ANSI 61&372.**



PEX Angle Valve



PEX Straight Valve



CE Angle Valve



CE Straight Valve



PUSH Angle Valve



PUSH Straight Valve

Part Number	Size Description	Inner/Ctn Qty	List Price
PEX Insert x Compression ANGLE STOP Valve		PEX Insert x Compression	
CPSVA1/2PX1/4CNL	1/2 x 1/4 Angle Stop Ch Plated NL	12/144	\$ 10.64
CPSVA1/2PX3/8CNL	1/2 x 3/8 Angle Stop Ch Plated NL	12/144	10.64
STRAIGHT STOP Valve		PEX Insert x Compression	
CPSVS1/2PX3/8CNL	1/2 x 3/8 Straight Stop Ch Plated NL	12/144	10.64
ANGLE STOP Valve		F1960 Cold Expansion Insert x Compression	
CPSVA1/2CEX1/4CNL	1/2 x 1/4 Angle Stop Ch Plated NL	12/144	11.77
CPSVA1/2CEX3/8CNL	1/2 x 3/8 Angle Stop Ch Plated NL	12/144	11.77
STRAIGHT STOP Valve		F1960 Cold Expansion Insert x Compression	
CPSVS1/2CEX3/8CNL	1/2 x 3/8 Straight Stop Ch Plated NL	12/144	11.77
PUSH FIT x Compression ANGLE STOP Valve		PUSH FIT x Compression	
CPSVA1/2PFX1/4CNL	1/2 x 1/4 Angle Stop Ch Plated NL	10/100	\$ 15.05
CPSVA1/2PFX3/8CNL	1/2 x 3/8 Angle Stop Ch Plated NL	10/100	15.84
STRAIGHT STOP Valve		PUSH FIT x Compression	
CPSVS1/2PFX3/8CNL	1/2 x 3/8 Straight Stop Ch Plated NL	10/100	15.12

NEW

Radiant Manifold Pre-assembled Kit Features:

- Suitable for distributing and controlling water in radiant floor heating systems at low and high temperatures.
- Includes flow balancing/metering devices and return shut-off valves.
- Built in mounting bracket support included.

*** NON STOCK ITEMS ***
ALLOW 3 WEEKS for DELIVERY

STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.

CB SUBCAT CODE #76
Radiant Manifolds & Accessories



SS Manifold



NP Brass Manifold



NP Brass Manifold

Part Number	Size Description	Ctn	List Price
-------------	------------------	-----	------------

RADIANT MANIFOLDS - 1" Stainless Steel

763510002-S	1" SS 2 LOOP Manifold w/ valve & meter	1	367.35
763510003-S	1" SS 3 LOOP Manifold w/ valve & meter	1	395.08
763510004-S	1" SS 4 LOOP Manifold w/ valve & meter	1	450.24
763510005-S	1" SS 5 LOOP Manifold w/ valve & meter	1	506.38
763510006-S	1" SS 6 LOOP Manifold w/ valve & meter	1	565.55
763510007-S	1" SS 7 LOOP Manifold w/ valve & meter	1	622.71
763510008-S	1" SS 8 LOOP Manifold w/ valve & meter	1	685.88
763510009-S	1" SS 9 LOOP Manifold w/ valve & meter	1	740.03
763510010-S	1" SS 10 LOOP Manifold w/ valve & meter	1	828.27
763510011-S	1" SS 11 LOOP Manifold w/ valve & meter	1	878.41
763510012-S	1" SS 12 LOOP Manifold w/ valve & meter	1	969.65

RADIANT MANIFOLDS - 1" Nickle Plated Brass

763510002	1" NP Brass 2 LOOP Manifold w/ valve & meter	1	335.92
763510003	1" NP Brass 3 LOOP Manifold w/ valve & meter	1	473.30
763510004	1" NP Brass 4 LOOP Manifold w/ valve & meter	1	546.50
763510005	1" NP Brass 5 LOOP Manifold w/ valve & meter	1	636.74
763510006	1" NP Brass 6 LOOP Manifold w/ valve & meter	1	693.91
763510007	1" NP Brass 7 LOOP Manifold w/ valve & meter	1	801.20
763510008	1" NP Brass 8 LOOP Manifold w/ valve & meter	1	871.38
763510009	1" NP Brass 9 LOOP Manifold w/ valve & meter	1	976.68
763510010	1" NP Brass 10 LOOP Manifold w/ valve & meter	1	1060.90
763510011	1" NP Brass 11 LOOP Manifold w/ valve & meter	1	1120.07
763510012	1" NP Brass 12 LOOP Manifold w/ valve & meter	1	1179.23

RADIANT MANIFOLDS - 1 1/4" Nickle Plated Brass

763512006	1 1/4" NP Brass 6 LOOP Manifold w/ valve+meter	1	873.39
763512007	1 1/4" NP Brass 7 LOOP Manifold w/ valve+meter	1	963.64
763512008	1 1/4" NP Brass 8 LOOP Manifold w/ valve+meter	1	1063.91
763512009	1 1/4" NP Brass 9 LOOP Manifold w/ valve+meter	1	1150.15
763512010	1 1/4" NP Brass 10 LOOP Manifold w/ valve+meter	1	1250.43
763512011	1 1/4" NP Brass 11 LOOP Manifold w/ valve+meter	1	1354.71
763512012	1 1/4" NP Brass 12 LOOP Manifold w/ valve+meter	1	1439.95

Radiant Accessories

*** NON STOCK ITEMS ***

ALLOW 3 WEEKS for DELIVERY



**STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.**

CB SUBCAT CODE #76
Radiant Manifolds
& Accessories



Adapter




Extension Nipple



Circuit Actuator



Digital Thermostat



Heat
Transfer
Plates



In-Slab Repair Kit



In-Slab Elbow



Staples



Tacker
Tool



Manifold Cabinet



Clip Clamp

Part Number	Size Description	Ctn	List Price
ADAPTERS			
763500005	Set of 2 Adapters 1/2" COMP x manifold	1	16.05
763500006	Set of 2 Adapters 5/8" COMP x manifold	1	22.56
763500007	Set of 2 Adapters 3/4" COMP x manifold	1	78.21

EXTENSION NIPPLE

763590010	1" BSP x 1" BSP	1	12.03
763590011	1" BSP x 1" BSP swivel	1	26.56
763590012	1 1/4" BSP x 1 1/4" BSP	1	16.05

CIRCUIT ACTUATORS

763580000	Actuator 24V 2-Wire Telestat switch IVAR	1	68.19
763580001	Actuator 24V 4-Wire Telestat switch IVAR	1	86.24

Digital Thermostat

TH114AF024T	Non-Programmable Ambient Floor Thermostat	1	187.38
-------------	---	---	--------

Heat Transfer Plates

HTRTP3	Aluminum Heat Transfer Plates 19" x 5"	25	4.98
--------	--	----	------

In-Slab Repair Kit

CBXRK33HR	In-slab repair kit 1/2"	1	8.32
CBXRK44HR	In-slab repair kit 3/4"	1	11.97

In-Slab Slip-on Elbow

HRSL3	1/2" PEX Plastic In-slab Slip On Elbow	1	2.52
HRSL4	3/4" PEX Plastic In-slab Slip On Elbow	1	6.50
763006010	1" PEX Plastic in-slab Slip On Elbow	1	12.50

Foam Staples - IN STOCK

STAP1	1 1/2" Staple Box of 300 (950430103)	1	82.22
STAP2	2 1/2" Staple Box of 300 (950430102)	1	105.54

Tools

950430200	Multi Tacker Tool for R1PP/L PANL staples	1	711.84
950430300	Rider gun for WR16	1	853.88
763599001	Steel Manifold Cabinet 28H x 24W x 3-5D	1	504.92
763599002	Steel Manifold cabinet 28H x 43W x 3-5D	1	543.79

CLIP CLAMP - IN STOCK

		Tubing OD mm		
SW15G	1/2" Clip Clamp Gray	14.0-16.5	100	0.78
SW20G	3/4" Clip Clamp Gray	19.5-24.0	50	1.40
SW25G	1" Clip Clamp Gray	24.2-28.0	50	1.57

** Mount clip clamp then push tubing against clamp base. Jaws close and lock automatically.

304 Stainless Steel PEX Insert Fitting Features:

Stainless Steel Insert PEX and PE-RT lead free fittings are the ideal choice for PEX and PE-RT applications. They deliver premium quality and durability, featuring excellent corrosion resistance, suited for areas with acidic conditions and water quality concerns.

- 304 Stainless Steel
- Compatible with SDR9 PE-RT pipe (ASTM F2769; ASTM F2623)
- Compatible with SDR9 PEX pipe (ASTM F876)
- PEX / PE-RT ends conform to ASTM F1807
- Threads conform to ASME B1.20.1
- Maximum Pressure Rating*: 100 PSI
- Temperature Range*: Up to 180° F (82° C)
- NSF/ANSI 61 & 372 certified

* Maximum Pressure Rating and Temperature Range align with the performance of the PEX and PE-RT systems.

NEW
CB
SUPPLIES

CB SUBCAT CODE #786

PEX SS Insert Fittings



PEX Ins Elbow



PEX Ins Male Elbow



PEX Ins Drop Ear Elbow



PEX Ins Tee



PEX Ins Coupling

Part Number	Size Description	Bag/Box Qty	List Price
90 ELBOWS PEX x PEX			
786006005	SS304 PEX 90 ELBOW 1/2	10 / 1000	\$ 2.91
786006007	SS304 PEX 90 ELBOW 3/4	10 / 500	4.65
786006010	SS304 PEX 90 ELBOW 1	10 / 250	8.65

MALE 90 ELBOWS PEX x MIP

786010005	SS304 PEX x MPT ELBOW 1/2	10 / 300	8.92
786010007	SS304 PEX X MPT ELBOW 3/4	10 / 200	15.60

DROP EAR ELBOWS PEX x FPT 3 hole

786014005	SS304 PEX X FPT DROP EAR ELBOW 1/2	10 / 250	9.50
786014007	SS304 PEX X FPT DROP EAR ELBOW 3/4	10 / 200	22.35
786014043	SS304 PEX X FPT DROP EAR ELB 3/4X1/2	10 / 250	20.22

TEES PEX x PEX x PEX

786001005	SS304 PEX TEE 1/2	10 / 600	4.28
786001007	SS304 PEX TEE 3/4	10 / 400	6.66
786001010	SS304 PEX TEE 1	10 / 150	13.66
786001433	SS304 PEX TEE 3/4X1/2X1/2	10 / 400	7.11
786001434	SS304 PEX TEE 3/4X1/2X3/4	10 / 400	8.14
786001443	SS304 PEX TEE 3/4X3/4X1/2	10 / 400	6.49
786001445	SS304 PEX TEE 3/4X3/4X1	10 / 250	10.71
786001534	SS304 PEX TEE 1X1/2X3/4	10 / 250	10.37
786001535	SS304 PEX TEE 1X1/2X1	10 / 200	9.68
786001543	SS304 PEX TEE 1X3/4X1/2	10 / 250	10.37
786001544	SS304 PEX TEE 1X3/4X3/4	10 / 200	12.09
786001545	SS304 PEX TEE 1X3/4X1	10 / 200	13.66
786001553	SS304 PEX TEE 1X1X1/2	10 / 200	10.37
786001554	Ss304 PEX TEE 1X1X3/4	10 / 200	13.32

COUPLINGS PEX x PEX

786029005	SS304 PEX COUPLING 1/2	10 / 1000	2.35
786029007	SS304 PEX COUPLING 3/4	10 / 700	3.30
786029010	SS304 PEX COUPLING 1	10 / 500	6.94
786029043	SS304 PEX COUPLING 3/4X1/2	10 / 700	4.11
786029054	SS304 PEX COUPLING 1X3/4	10 / 500	6.25

Stainless Steel PEX Insert Fittings

NEW
CB
SUPPLIES

CB SUBCAT CODE #786
PEX SS Insert Fittings


PEX Ins Transition
Coupling Kit



PEX Ins Plug



PEX Ins Male
Adapter



PEX Ins Female
Adapter



Part Number	Size Description	Bag/Case Qty	List Price
TRANSITION COUPLINGS Ins PEX x Ins Polybutylene - includes crimp rings			
786028005	SS304 PEX X PB COUPLING KIT 1/2	1/600	5.30
786028007	SS304 PEX X PB COUPLING KIT 3/4	1/400	8.10
786028010	SS304 PEX X PB COUPLING KIT 1	1/250	12.10
PLUGS PEX			
786042005	SS304 PEX PLUG 1/2	10 / 800	1.86
786042007	SS304 PEX PLUG 3/4	10 / 600	2.75
786042010	SS304 PEX PLUG 1"	10 / 300	5.53
MALE ADAPTERS PEX x MPT			
786036005	SS304 PEX X MPT ADAPTER 1/2	10 / 500	5.40
786036007	SS304 PEX X MPT ADAPTER 3/4	10 / 400	7.85
786036010	SS304 PEX X MPT ADAPTER 1	10 / 200	15.77
786036034	SS304 PEX X MPT ADAPTER 1/2X3/4	10 / 400	7.72
786036043	SS304 PEX X MPT ADAPTER 3/4X1/2	10 / 400	5.81
786036045	SS304 PEX X MPT ADAPTER 3/4X1	10 / 250	15.16
786036054	SS304 PEX X MPT ADAPTER 1X3/4	10 / 250	9.81
FEMALE ADAPTERS PEX x FPT			
786035005	SS304 PEX X FPT ADAPTER 1/2	10 / 500	5.53
786035007	SS304 PEX X FPT ADAPTER 3/4	10 / 400	7.88
786035010	SS304 PEX X FPT ADAPTER 1	10 / 250	17.12
786035034	SS304 PEX X FPT ADAPTER 1/2X3/4	10 / 400	8.01
786035043	SS304 PEX X FPT ADAPTER 3/4X1/2	10 / 400	9.59
786035045	SS304 PEX X FPT ADAPTER 3/4X1	10 / 250	16.95

**** See our full line of PEX and PE-RT ball valves
on catalog pages 3.1 - 3.4**

NO LEAD Brass PEX Insert Fittings


NO LEAD Brass PEX Insert Fitting Features:

- Approved for use with ASTM F876/F877 SDR-9 PEX tubing/PEX distribution systems.
- No Lead Brass PEX fittings are manufactured and certified to ASTM F1807 requirements.
- Certified lead free to NSF/ANSI 61 & 372.




**STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.**


CB SUBCAT CODE #781
PEX NL Brass Insert Fittings



NLCBXE Elbow



NLCBXME Male Elbow



NLCBXT Tee



NLCBXDT Tee



NLCBXC Coupling



NLCBXBC Transition
Coupling

Part Number	Size Description	Bag/Box Qty	List Price
ELBOWS			
Ins x Ins			
NLCBXE22	3/8 PEX 90 Elbow - NL	50/500	\$ 4.24
NLCBXE33	1/2 PEX 90 Elbow - NL	50/600	3.59
NLCBXE43	3/4 x 1/2 PEX 90 Elbow -NL	25/400	4.24
NLCBXE44	3/4 PEX 90 Elbow - NL	25/300	5.05
NLCBXE55	1 PEX 90 Elbow - NL	10/150	8.25
NLCBXE66	1 1/4 PEX 90 Elbow - NL	10/100	40.05
Ins x MIP			
NLCBXME32	1/2 PEX x 3/8 MPT 90 Elbow - NL	50/300	6.72
NLCBXME33	1/2 PEX x 1/2 MPT 90 Elbow - NL	50/300	8.51
NLCBXME44	3/4 PEX x 3/4 MPT 90 Elbow - NL	25/250	16.14
NLCBXME55	1 PEX x 1 MPT 90 Elbow - NL	25/100	19.95
NLCBXME66	1 1/4 PEX x 1 1/4 MPT 90 Elbow - NL	10/50	74.36
TEES			
Ins x Ins x Ins			
NLCBXT222	3/8 PEX Tee - NL	25	4.48
NLCBXT333	1/2 PEX Tee - NL	50/450	3.84
NLCBXT334	1/2 x 1/2 x 3/4 PEX Tee - NL	25/300	8.05
NLCBXT433	3/4 x 1/2 x 1/2 PEX Tee - NL	25/300	6.92
NLCBXT434	3/4 x 1/2 x 3/4 PEX Tee - NL	25/250	6.67
NLCBXT443	3/4 x 3/4 x 1/2 PEX Tee - NL	25/250	5.51
NLCBXT444	3/4 PEX Tee - NL	25/200	6.46
NLCBXT445	3/4 x 3/4 x 1 PEX Tee - NL	10/100	9.89
NLCBXT534	1 x 1/2 x 3/4 PEX Tee - NL	10/100	10.71
NLCBXT543	1 x 3/4 x 1/2 PEX Tee - NL	10/150	13.29
NLCBXT544	1 x 3/4 x 3/4 PEX Tee - NL	10/100	13.08
NLCBXT545	1 x 3/4 x 1 PEX Tee - NL	10/100	9.57
NLCBXT553	1 x 1 x 1/2 PEX Tee - NL	10/150	12.77
NLCBXT554	1 x 1 x 3/4 PEX Tee - NL	10/120	13.40
NLCBXT555	1 PEX Tee - NL	25/100	12.66
NLCBXT666	1 1/4 PEX Tee - NL	10/50	48.53
DROP EAR TEE			
NLCBXDT554	1 PX x 1 PX x 3/4 FPT Drop Ear Tee - NL	10/50	27.96
COUPLINGS			
Ins x Ins			
NLCBXC22	3/8 PEX Coupling - NL	100/1000	1.90
NLCBXC32	1/2 x 3/8 PEX Coupling - NL	50/500	2.29
NLCBXC33	1/2 PEX Coupling - NL	100/1000	1.98
NLCBXC43	3/4 x 1/2 PEX Coupling - NL	50/500	3.39
NLCBXC44	3/4 PEX Coupling - NL	50/400	3.67
NLCBXC54	1 x 3/4 PEX Coupling - NL	25/250	6.06
NLCBXC55	1 PEX Coupling - NL	25/250	6.72
NLCBXC66	1 1/4 PEX Coupling - NL	10/150	21.95
TRANSITION COUPLINGS Ins PEX x Ins Polybutylene - includes crimp rings			
NLCBXBC22	3/8 PEX x 3/8 PB Transition Coupling - NL	100/500	4.10
NLCBXBC33	1/2 PEX x 1/2 PB Transition Coupling - NL	100/400	4.38
NLCBXBC44	3/4 PEX x 3/4 PB Transition Coupling - NL	25/200	6.80
NLCBXBC55	1 PEX x 1 PB Transition Coupling - NL	10/100	10.05

NO LEAD Brass PEX Insert Fittings


STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.

CB SUBCAT CODE #781
PEX NL Brass Insert Fittings




Bag/Case

Qty List Price




NLCBP Plug

Part Number	Size Description	Bag/Case Qty	List Price
PLUGS			
NLCBXP2B	3/8 PEX Plug - NL	100/1000	\$ 1.50
NLCBXP3B	1/2 PEX Plug - NL	100/1500	1.47
NLCBXP4B	3/4 PEX Plug - NL	50/800	2.86
NLCBXP5B	1 PEX Plug - NL	50/400	4.47
NLCBXP6B	1 1/4 PEX Plug NL	10/50	18.15




NLCBXM Male
Adapter

MALE ADAPTERS		Ins x MPT	
NLCBXM23	3/8 PEX x 1/2 MPT Adapter - NL	25/250	5.65
NLCBXM33	1/2 PEX x 1/2 MPT Adapter - NL	50/300	4.83
NLCBXM34	1/2 PEX x 3/4 MPT Adapter - NL	25/200	7.38
NLCBXM43	3/4 PEX x 1/2 MPT Adapter - NL	25/250	5.27
NLCBXM44	3/4 PEX x 3/4 MPT Adapter - NL	25/200	7.52
NLCBXM45	3/4 PEX x 1 MPT Adapter - NL	10/150	14.04
NLCBXM54	1 PEX x 3/4 MPT Adapter - NL	10/150	9.36
NLCBXM55	1 PEX x 1 MPT Adapter - NL	10/200	14.49
NLCBXM66	1 1/4 PEX x 1 1/4 MPT Adapter NL	10/100	48.25




NLCBXFC Female
Adapter

FEMALE ADAPTERS		Ins x FPT	
NLCBXFC23	3/8 PEX x 1/2 FPT Adapter - NL	25	6.60
NLCBXFC33	1/2 PEX x 1/2 FPT Adapter - NL	25/300	5.90
NLCBXFC43	3/4 PEX x 1/2 FPT Adapter - NL	25/150	8.76
NLCBXFC34	1/2 PEX x 3/4 FPT Adapter - NL	25/300	9.21
NLCBXFC44	3/4 PEX x 3/4 FPT Adapter - NL	25/200	8.20
NLCBXFC45	3/4 PEX x 1 FPT Adapter - NL	25/150	16.12
NLCBXFC54	1 PEX x 3/4 FPT Adapter - NL	25/150	8.44
NLCBXFC55	1 PEX x 1 FPT Adapter - NL	50/100	16.92
NLCBXFC66	1 1/4 PEX x 1 1/4 FPT Adapter - NL	10/100	56.16



NLCBXC Male
Sweat Adapter

MALE SWEAT ADAPTERS		Ins x Male Sweat	
NLCBXC23M	3/8 PEX x 1/2 Male Sweat Adapter - NL	50	3.30
NLCBXC33M	1/2 PEX x 1/2 Male Sweat Adapter - NL	50/800	2.50
NLCBXC34M	1/2 PEX x 3/4 Male Sweat Adapter - NL	25/500	5.21
NLCBXC44M	3/4 PEX x 3/4 Male Sweat Adapter - NL	25/300	4.80
NLCBXC55M	1 PEX x 1 Male Sweat Adapter - NL	25/200	8.73
NLCBXC66M	1 1/4 PEX x 1 Male Sweat Adapter NL	10/50	20.96




NLCBXC Female
Sweat Adapter

FEMALE SWEAT ADAPTER		Ins x Female Sweat	
NLCBXC23F	3/8 PEX x 1/2 Female Sweat Adapter - NL	50	3.34
NLCBXC33F	1/2 PEX x 1/2 Female Sweat Adapter - NL	50/600	2.74
NLCBXC44F	3/4 PEX x 3/4 Female Sweat Adapter - NL	25/250	4.92
NLCBXC55F	1 PEX x 1 Female Sweat Adapter - NL	10/100	8.97
NLCBXC66F	1 1/4 PEX x 1 1/4 Female Sweat Adapter NL	10	22.26


NO LEAD Brass PEX Insert Fittings

**STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.**

CB SUBCAT CODE #781
PEX NL Brass Insert Fittings




**NLCBXE Sweat
Elbows**



**NLCBXDE Drop Ear
Elbows**



CBXE Stubout Elbows



**NLCBXSE
Swivel Elbows**



**NLCBXSA
Transition Ftg**

Part Number	Size Description	Bag/Case Qty	List Price
MALE SWEAT ELBOWS Ins x Male Sweat			
NLCBXE33MC	1/2 PEX x 1/2 Male Sweat Elbow - NL	25/250	\$ 5.20
NLCBXE44MC	3/4 PEX x 3/4 Male Sweat Elbow - NL	10/100	10.38
FEMALE SWEAT ELBOWS Ins x Female Sweat			
NLCBXE33FC	1/2 PEX x 1/2 Female Sweat Elbow - NL	10/300	5.89
NLCBXE44FC	3/4 PEX x 3/4 Female Sweat Elbow - NL	10/100	10.08
NLCBXE55FC	1 PEX x 1 Female Sweat Elbow - NL	25/100	17.17
DROP EAR ELBOWS Ins x FPT 3 hole			
NLCBXDE33C	1/2 PEX x 1/2 FPT Drop Ear Elbow - NL	10/150	12.36
NLCBXDE43C	3/4 PEX x 1/2 FPT Drop Ear Elbow - NL	25/100	19.49
NLCBXDE44C	3/4 PEX x 3/4 FPT Drop Ear Elbow - NL	10/100	19.81
STUB OUT ELBOWS Ins x Closed			
CBXE33SO	4" x 6" Ins x 1/2 Closed End Copper	50	10.89
CBXE33SO8	4" x 8" Ins x 1/2 Closed End Copper	50	12.85
CBXE33SOE	4" x 6" Ins x 1/2 Closed End w/ Ear Copper	25	15.95
CBXE33SOE8	4" x 8" Ins x 1/2 Closed End w/ Ear Copper	25	19.46
SWIVEL ELBOWS Ins x FPT			
NLCBXSE23C	3/8 PEX x 1/2 FPT Swivel Elbow-NL	50/250	5.17
NLCBXSE33C	1/2 PEX x 1/2 FPT Swivel Elbow-NL (plastic nut)	50/250	5.08
NLCBXSE44C	3/4 PEX x 3/4 FPT Swivel Elbow-NL (plastic nut)	25/100	11.21
TRANSITION SWIVEL ADAPTER Ins x Female Swivel			
NLCBXSA23	3/8 PEX x 1/2 FPT Thrd Swivel Adapter NL (pl nut)	25/100	3.16
NLCBXSA33	1/2 PEX x 1/2 FPT Thrd Swivel Adapter NL(pl nut)	25/100	3.09
NLCBXSA34	1/2 PEX x 3/4 FPT Thrd Swivel Adapter NL (pl nut)	10/100	4.94
NLCBXSA44	3/4 PEX x 3/4 FPT Thrd Swivel Adapter NL (pl nut)	10/50	6.01
NLCBXSA33B	1/2 PEX x 1/2 FPT Thrd Swivel Adapter NL (BR nut)	25/100	8.61
NLCBXSA44B	3/4 PEX x 3/4 FPT Thrd Swivel Adapter NL (BR nut)	10/50	14.60

Polyalloy PAL PEX Insert Fittings

Polyalloy PAL PEX Insert Fitting Features:

- Approved for use with ASTM F876/F877 SDR-9 PEX tubing/PEX distribution systems.
- PAL fittings are marked with ASTM F877 and/or F2159 and NSF PW.
- Certified lead free to NSF/ANSI 61 & 372.




STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.

CB SUBCAT CODE #89
PEX PAL Insert Fittings




XPT Tee




XPMC Male Adapter




XPC Coupling



XPE Elbow



XPME Male
Elbow



XPSA Transition
Swivel Adapter

CBXP Plug

Part Number	Size Description	Bag/Box Qty	List Price
TEES			
	Ins x Ins x Ins		
XPT333	1/2 PAL TEE	50/500	\$ 1.11
XPT334	1/2 X 1/2 X 3/4 PAL TEE	25/675	1.58
XPT433	3/4 X 1/2 X 1/2 PAL TEE	25/600	1.58
XPT434	3/4 X 1/2 X 3/4 PAL TEE	25/500	1.70
XPT443	3/4 X 3/4 X 1/2 PAL TEE	25/500	1.75
XPT445	3/4 x 3/4 x 1 PAL TEE	25/500	3.51
XPT444	3/4 PAL TEE	25/250	1.78
XPT544	1 X 3/4 x 3/4 PAL TEE	25/325	3.51
XPT545	1 x 3/4 x 1 PAL TEE	25/250	4.43
XPT553	1 X 1 X 1/2 PAL TEE	25/300	3.51
XPT554	1 x 1 x 3/4 PAL TEE	25/300	4.43
XPT555	1 PAL TEE	25/200	4.55
MALE ADAPTERS			
	Ins x MPT		
XPMC33	1/2 PAL MPT ADAPTER	25/1000	1.43
XPMC34	1/2 X 3/4 PAL MPT ADAPTER	25/200	1.50
XPMC44	3/4 PAL MPT ADAPTER	25/600	1.91
XPMC43	3/4 X 1/2 PAL MPT ADAPTER	25/600	2.44
XPMC55	1 x 1 PAL MPT ADAPTER	25/300	4.90
COUPLINGS			
	Ins x Ins		
XPC33	1/2 PAL COUPLING	100/800	0.64
XPC43	3/4x1/2 PAL COUPLING	25/1250	1.03
XPC44	3/4 PAL COUPLING	50/400	0.94
XPC55	1 PAL COUPLING	50/600	2.08
XPC54	1X3/4 PAL COUPLING	25/700	2.08
ELBOWS			
	Ins x Ins		
XPE33	1/2 PAL ELBOW	50/500	0.87
XPE43	3/4X1/2 PAL ELBOW	25/750	1.29
XPE44	3/4 PAL ELBOW	25/250	1.34
XPE55	1 PAL ELBOW	25/350	3.62
MALE THREADED ELBOWS			
	Ins x MPT		
XPME32	1/2 X 3/8 PAL MPT ELBOW	10/200	1.54
XPME33	1/2 PAL MPT ELBOW	10/600	1.65
XPME43	3/4 X 1/2 PAL MPT ELBOW	25/400	3.35
XPME44	3/4 PAL MPT ELBOW	25/500	2.29
TRANSITION SWIVEL ADAPTER			
	Ins x FPT		
XPSA44	3/4 PAL SWIVEL ADAPT	100/500	2.70
PLUGS			
CBXP2	3/8 PLASTIC INSERT TEST PLUG	100/6000	0.46
CBXP3	1/2 PLASTIC INSERT TEST PLUG	100/3500	0.49
CBXP4	3/4 PLASTIC INSERT TEST PLUG	25/2000	0.66
CBXP5	1 PLASTIC INSERT TEST PLUG	25/1000	1.65

Cold Expansion PAL PEX Insert Fittings

STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.



Cold Expansion PEX Rings:

- ASTM F1960



F1960 Rings



CB SUBCAT CODE #891
COLD EXPANSION Fittings

Part Number	Size Description	Bag/Ctn Qty	List Price
COLD EXPANSION RINGS - F1960			
CBXCER3	Cold Expansion Ring for 1/2" PEX Tubing	50/500	\$ 0.57
CBXCER4	Cold Expansion Ring for 3/4" PEX Tubing	50/500	1.27
CBXCER5	Cold Expansion Ring for 1" PEX Tubing	50/250	2.73

Cold Expansion Polyalloy PAL PEX Insert Fittings:

- Use with ASTM F1960 certified cold expansion PEX and PERT tubing using PEX rings.
- PPSU resin provides chemical resistance.
- Max system temperature/pressure 180°F @ 100 psi
- No lead NSF/ANSI 372 certified. ANSI/NSF 61 certified.
- **Only use cordless power expander tool for installation.**



CB SUBCAT CODE #891
COLD EXPANSION Fittings



CEXPT Tee



CEXPMC Male Adapter



CEXPC Coupling



CEXPE Elbow



CEXPME Male Elbow



CEXPP Plug

Part Number	Size Description	Bag/Box Qty	List Price
CE PAL TEES			
	Ins x Ins x Ins		
CEXPT333	1/2 CE PAL TEE	25/500	\$ 3.56
CEXPT334	1/2 X 1/2 X 3/4 CE PAL TEE	25/400	4.84
CEXPT433	3/4 X 1/2 X 1/2 CE PAL TEE	25/350	4.96
CEXPT434	3/4 X 1/2 X 3/4 CE PAL TEE	25/250	5.64
CEXPT443	3/4 X 3/4 X 1/2 CE PAL TEE	25/250	5.73
CEXPT445	3/4 x 3/4 x 1 CE PAL TEE	25/150	10.48
CEXPT444	3/4 CE PAL TEE	25/200	6.14
CEXPT544	1 X 3/4 x 3/4 CE PAL TEE	25/150	8.53
CEXPT545	1 x 3/4 x 1 CE PAL TEE	25/100	9.93
CEXPT553	1 X 1 X 1/2 CE PAL TEE	25/150	9.37
CEXPT554	1 x 1 x 3/4 CE PAL TEE	25/125	10.10
CEXPT555	1 CE PAL TEE	25/100	10.24
CE PAL MALE ADAPTERS			
	Ins x MPT		
CEXPMC33	1/2 CE PAL MPT ADAPTER	25/850	4.17
CEXPMC44	3/4 CE PAL MPT ADAPTER	25/500	3.76
CE PAL COUPLINGS			
	Ins x Ins		
CEXPC33	1/2 CE PAL COUPLING	25/1250	2.35
CEXPC43	3/4x1/2 CE PAL COUPLING	25/600	2.95
CEXPC44	3/4 CE PAL COUPLING	25/500	3.55
CEXPC55	1 CE PAL COUPLING	50/250	5.25
CEXPC54	1X3/4 CE PAL COUPLING	25/250	5.53
CE PAL ELBOWS			
	Ins x Ins		
CEXPE33	1/2 CE PAL ELBOW	25/900	3.16
CEXPE43	3/4X1/2 CE PAL ELBOW	25/550	4.17
CEXPE44	3/4 CE PAL ELBOW	25/350	4.77
CEXPE55	1 CE PAL ELBOW	25/150	8.59
CE PAL MALE THREADED ELBOWS			
	Ins x MPT		
CEXPME33	1/2 CE PAL MPT ELBOW	10/600	5.24
CE PAL PLUGS			
CEXPP3	1/2 CE PAL INSERT PLUG	100/2000	1.68
CEXPP4	3/4 CE PAL INSERT PLUG	25/900	2.69
CEXPP5	1 CE PAL INSERT PLUG	25/500	4.22

Cold Expansion NL Brass PEX Insert Fittings:

- Use with ASTM F1960 certified cold expansion PEX and PERT tubing using PEX rings.
- Max system temperature/pressure 180°F @ 100 psi
- No lead NSF/ANSI 372 certified brass. ANSI/NSF 61 certified.
- **Only use cordless power expander tool for installation.**



**STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.**

**CB SUBCAT CODE #891
COLD EXPANSION Fittings**



**NLCECBXMC Male
Adapter**



**NLCECBXFC
Female Adapter**



**NLCECBXCM Male
Sweat Adapter**



**NLCECBXCF Female
Sweat Adapter**



**NLCECBXE Sweat
Elbows**



**NLCECBXDE Drop
Ear Elbows**

Part Number	Size Description	Bag Qty	List Price
CE MALE ADAPTERS Ins x MPT			
NLCECBXMC33	1/2 NL CE PEX x 1/2 MPT Adapter	50/300	\$ 12.08
NLCECBXMC34	1/2 NL CE PEX x 3/4 MPT Adapter	25/200	17.20
NLCECBXMC43	3/4 NL CE PEX x 1/2 MPT Adapter	25/250	17.36
NLCECBXMC44	3/4 NL CE PEX x 3/4 MPT Adapter	25/200	18.83
NLCECBXMC45	3/4 NL CE PEX x 1 MPT Adapter	10/150	29.17
NLCECBXMC54	1 NL CE PEX x 3/4 MPT Adapter	10/150	30.79
NLCECBXMC55	1 NL CE PEX x 1 MPT Adapter	10/200	32.03

CE FEMALE ADAPTERS Ins x FPT			
NLCECBXFC33	1/2 NL CE PEX x 1/2 FPT Adapter	20/200	12.64
NLCECBXFC43	3/4 NL CE PEX x 1/2 FPT Adapter	25/300	18.06
NLCECBXFC34	1/2 NL CE PEX x 3/4 FPT Adapter	25/150	21.05
NLCECBXFC44	3/4 NL CE PEX x 3/4 FPT Adapter	25/150	19.01
NLCECBXFC45	3/4 NL CE PEX x 1 FPT Adapter	25/150	30.64
NLCECBXFC55	1 NL CE PEX x 1 FPT Adapter	50/100	30.79

CE MALE SWEAT ADAPTERS Ins x Male Sweat			
NLCECBXC33M	1/2 NL CE PEX x 1/2 Male Sweat Adapter	50/500	8.20
NLCECBXC34M	1/2 NL CE PEX x 3/4 Male Sweat Adapter	25/500	13.06
NLCECBXC44M	3/4 NL CE PEX x 3/4 Male Sweat Adapter	25/300	15.57
NLCECBXC55M	1 NL CE PEX x 1 Male Sweat Adapter	25/200	28.17

CE FEMALE SWEAT ADAPTER Ins x Female Sweat			
NLCECBXC33F	1/2 NL CE PEX x 1/2 Female Sweat Adapter	50/600	8.03
NLCECBXC44F	3/4 NL CE PEX x 3/4 Female Sweat Adapter	25/250	15.28
NLCECBXC45F	3/4 NL CE PEX x 1 Female Sweat Adapter	10/100	23.63
NLCECBXC55F	1 NL CE PEX x 1 Female Sweat Adapter	10/100	28.53

CE FEMALE SWEAT ELBOWS Ins x Female Sweat			
NLCECBXE33FC	1/2 NL CE PEX x 1/2 Female Sweat Elbow	10/150	11.47

CE DROP EAR ELBOWS Ins x FPT 3 hole			
NLCECBXDE33C	1/2 NL CE PEX x 1/2 FPT Drop Ear Elbow	10/100	24.62
NLCECBXDE43C	3/4 NL CE PEX x 1/2 FPT Drop Ear Elbow	10/50	38.81
NLCECBXDE44C	3/4 NL CE PEX x 3/4 FPT Drop Ear Elbow	10/50	38.42

Cold Expansion Polyalloy PAL Multiport Manifolds:

- Use with ASTM F1960 certified cold expansion PEX and PERT tubing using PEX rings.
- PPSU resin provides chemical resistance.
- Max system temperature/pressure 180°F @ 100 psi
- No lead NSF/ANSI 372 certified. ANSI/NSF 61 certified.
- **Only use cordless power expander tool for installation.**



**STANDARD AGI DISCOUNTS DO NOT APPLY.
Contact your sales representative for pricing.**

**CB SUBCAT CODE #891
COLD EXPANSION Fittings**



Closed End



Flow Through

Part Number	PEX Inlet	1/2" PEX Ports	Outlet	Box Qty	List Price
PEX CE Inlet Multiport Manifolds - Closed End ASTM F1960					
8921070003	3/4	3	Closed	10	\$ 19.48
8921070004	3/4	4	Closed	10	23.51
8921070006	3/4	6	Closed	10	33.40
8921100004	1	4	Closed	10	34.35
8921100006	1	6	Closed	10	77.26

PEX CE Inlet Multiport Manifolds - Flow Through ASTM F1960

8920070702	3/4	2	3/4	10	13.84
8920070703	3/4	3	3/4	10	19.24
8920070704	3/4	4	3/4	10	25.50
8920070706	3/4	6	3/4	10	32.09
8920101004	1	4	1	10	51.33
8920101006	1	6	1	10	46.48
8920100704	1	4	3/4	10	50.75
8920100706	1	6	3/4	10	69.17

PEX CE Inlet Multiport Manifolds - Opposite Branches Flow Through ASTM F1960

89200707030	3/4	3	3/4	10	24.83
89200707040	3/4	4	3/4	10	25.24
89200707060	3/4	6	3/4	10	31.73

PEX CE Inlet Multiport Manifolds - Opposite Branches Closed End ASTM F1960

89210700030	3/4	3	Closed	10	\$ 24.68
89210700040	3/4	4	Closed	10	25.16
89210700080	3/4	8	Closed	10	41.10



Opposite
Branch
Flow Through



Opposite Branch
Closed End



HARVARD NO LEAD Brass Push Fitting Features:

- Use for above ground potable water, hydronic heating and other plumbing systems.
- No soldering, clamps, unions or glue needed.
- For use with copper, CPVC, PEX and PERT tubing in any combination.
- Integral tube liner (stiffener) for PEX/PERT installation.
- Easy disconnect with special removal tool.
- Lead free, forged brass body construction.
- Full fluid flow without PEX/PERT stiffeners.
- Fittings can be rotated 360° after assembly for easier installation.
- Max working pressure at max working temperature: 200 psi at 200°F water.
(Caution: may exceed the max service pressure/temperature of PEX/PERT or CPVC.)
- Not suitable for steam service.
- Tested, certified and listed in accordance with ASSE1061-2006.
- cUPC listed.
- Certified lead free to NSF/ANSI 61 & 372.



LOW LEAD



MATERIAL SPECIFICATIONS	
Body	Forged NL Brass
O-ring	EPDM
Gripper Ring	SS304
Push Ring	Acetal
Locking Ring	Acetal
Seat Ring	Acetal
Stiffener	Polysulfone

CAUTION: FAILURE TO PROPERLY CHAMFER TUBING OD WILL RESULT IN A DAMAGED O-RING AND LEAK. FAILURE TO PROPERLY CHAMFER THE TUBE VOIDS FITTING WARRANTY.

*** STANDARD AGI DISCOUNTS
APPLY to items on this page.**



BPCNL

BPRCNL



BPMANL

BPRMANL



BPFANL

BPRFANL



BPWHK

Part Number	Description & Size	Ctn Qty	List Price
Couplings			
BPC3/8NL	BRS PUSH CPL NL FITXFIT 3/8x3/8	60/240	\$ 8.54
BPC1/2NL	BRS PUSH CPL NL FITXFIT 1/2x1/2	50/200	8.86
BPC3/4NL	BRS PUSH CPL NL FITXFIT 3/4x3/4	30/120	11.78
BPC1NL	BRS PUSH CPL NL FITXFIT 1X1	15/60	23.56
Reducing Coupling			
BPRC1/2X3/8NL	BRS PUSH CPL NL FITXFIT 1/2X3/8	45/180	9.18
BPRC3/4X1/2NL	BRS PUSH CPL NL FITXFIT 3/4X1/2	35/140	11.46
BPRC1X3/4NL	BRS PUSH CPL NL FITXFIT 1X3/4	20/80	21.95
Male Adapters			
BPMA3/8NL	BRS PUSH M/A NL FITXMPT 3/8x3/8	60/240	7.57
BPMA1/2NL	BRS PUSH M/A NL FITXMPT 1/2x1/2	60/240	8.32
BPMA3/4NL	BRS PUSH M/A NL FITXMPT 3/4x3/4	40/160	12.22
BPMA1NL	BRS PUSH M/A NL FITXMPT 1X1	20/80	22.05
Reducing Male Adapter			
BPRMA3/8x1/2NL	BRS PUSH M/A NL FITXMT 3/8x1/2	52/208	8.52
BPRMA1/2X3/8NL	BRS PUSH M/A NL FITXMT 1/2X3/8	60/240	8.52
BPRMA1/2X3/4NL	BRS PUSH M/A NL FITXMT 1/2X3/4	50/200	12.10
BPRMA3/4X1/2NL	BRS PUSH M/A NL FITXMT 3/4X1/2	40/160	14.00
BPRMA3/4X1NL	BRS PUSH M/A NL FITXMT 3/4X1	25/100	22.04
BPRMA1X3/4NL	BRS PUSH M/A NL FITXMT 1X3/4	20/80	22.04
Female Adapters			
BPFA3/8NL	BRS PUSH F/A NL FITXFPT 3/8x3/8	60/240	7.79
BPFA1/2NL	BRS PUSH F/A NL FITXFPT 1/2x1/2	60/240	8.44
BPFA3/4NL	BRS PUSH F/A NL FITXFPT 3/4x3/4	40/160	12.87
BPFA1NL	BRS PUSH F/A NL FITXFPT 1X1	20/80	20.76
Reducing Female Adapter			
BPRFA3/8X1/2NL	BRS PUSH F/A NL FITXFPT 3/8X1/2	52/208	9.23
BPRFA1/2X3/4NL	BRS PUSH F/A NL FITXFPT 1/2X3/4	40/160	12.75
BPRFA3/4X1/2NL	BRS PUSH F/A NL FITXFPT 3/4X1/2	40/160	14.59
BPRFA3/4X1NL	BRS PUSH F/A NL FITXFPT 3/4X1	25/100	22.04
BPRFA1X3/4NL	BRS PUSH F/A NL FITXFPT 1X3/4	25/100	22.04
Water Heater Kit (includes 2 female adapters and 1 removal tool)			
BPWHK1/2X3/4NL	BRS PUSH WTHRT FITXFPT 1/2x3/4	20/160	26.25
BPWHK3/4NL	BRS PUSH WTHRT FITXFPT 3/4x3/4	15/120	27.00
BPWHK3/4X1/2NL	BRS PUSH WTHRT FITXFPT 3/4x1/2	15/120	26.25

NO LEAD Brass Push Fittings

CAUTION: FAILURE TO PROPERLY CHAMFER TUBING OD WILL RESULT IN A DAMAGED O-RING AND LEAK. FAILURE TO PROPERLY CHAMFER THE TUBE VOIDS FITTING WARRANTY.

*** STANDARD AGI DISCOUNTS
APPLY to items on this page.**

		Part Number	Description & Size	Ctn Qty	List Price	
Elbows						
		BPE3/8NL	BRS PUSH ELL NL FITXFIT 3/8x3/8	60/240	\$ 11.03	
		BPE1/2NL	BRS PUSH ELL NL FITXFIT 1/2X1/2	40/160	12.32	
		BPE3/4NL	BRS PUSH ELL NL FITXFIT 3/4X3/4	20/80	17.40	
		BPE1NL	BRS PUSH ELL NL FITXFIT 1X1	12/48	34.38	
Reducing Elbows						
		BPPE1/2X3/8NL	BRS PUSH ELL NL FITXFIT 1/2X3/8	37/148	11.78	
		BPPE3/4X1/2NL	BRS PUSH ELL NL FITXFIT 3/4X1/2	25/100	17.20	
		BPPE3/4X1NL	BRS PUSH ELL NL FITXFIT 3/4X1	15/60	35.30	
		BPPE1X3/4NL	BRS PUSH ELL NL FITXFIT 1X3/4	15/60	35.30	
Female Elbow						
		BPFE3/8NL	BRS PUSH FEM ELBOW NL FITXFPT 3/8	60/240	11.02	
		BPFE1/2NL	BRS PUSH FEM ELBOW NL FITXFPT 1/2	40/160	12.87	
		BPFE3/4NL	BRS PUSH FEM ELBOW NL FITXFPT 3/4	20/80	17.94	
		BPFE1NL	BRS PUSH FEM ELBOW NL FITXFPT 1	13/52	29.48	
Male Elbow						
		BPME3/8NL	BRS PUSH MALE ELBOW NL FITXMPT 3/8x3/860/240		9.83	
		BPME1/2NL	BRS PUSH MALE ELBOW NL FITXMPT 1/2X1/240/160		11.14	
		BPME3/4NL	BRS PUSH MALE ELBOW NL FITXMPT 3/4X3/420/80		18.27	
		BPME1NL	BRS PUSH MALE ELBOW NL FITXMPT 1X1	13/52	32.52	
Tees						
		BPT3/8NL	BRS PUSH TEE NL FITXFIT 3/8x3/8x3/8	45/180	14.16	
		BPT1/2NL	BRS PUSH TEE NL FITXFIT 1/2X1/2X1/2	30/120	17.94	
		BPT3/4NL	BRS PUSH TEE NL FITXFIT 3/4X3/4X3/4	15/60	26.48	
		BPT1NL	BRS PUSH TEE NL FITXFIT 1X1X1	7/28	45.95	
Reducing Tee						
		BPRT3/8x3/8x1/2NL	BRS PUSH TEE NL FITXFIT 3/8x3/8x1/2	30/120	18.17	
		BPRT1/2X1/2X3/8NL	BRS PUSH TEE NL FITXFIT 1/2X1/2X3/8	30/120	18.76	
		BPRT1/2X1/2X3/4NL	BRS PUSH TEE NL FITXFIT 1/2X1/2X3/4	20/80	30.80	
		BPRT1/2X1/2X1NL	BRS PUSH TEE NL FITXFIT 1/2X1/2X1	15/60	39.61	
		BPRT1/2X3/4X3/4NL	BRS PUSH TEE NL FITXFIT 1/2X3/4X3/4	15/60	34.30	
		BPRT3/4X1/2X1/2NL	BRS PUSH TEE NL FITXFIT 3/4X1/2X1/2	20/80	23.68	
		BRPT3/4x1/2x3/4NL	BRS PUSH TEE NL FITXFIT 3/4X1/2X3/4	15/60	34.30	
		BPRT3/4X3/4X1/2NL	BRS PUSH TEE NL FITXFIT 3/4X3/4X1/2	15/60	26.81	
		BPRT1X1X3/4NL	BRS PUSH TEE NL FITXFIT 1X1X3/4	8/32	43.03	
		Female Tee				
			BPFT1/2NL	BRS PUSH FEM TEE NL FITXFITXFPT 1/2X1/2X1/2	30/120	23.56
	BPFT3/4NL		BRS PUSH FEM TEE NL FITXFITXFPT 3/4X3/4X3/4	15/60	34.82	
Male Tee						
		BPMT1/2NL	BRS PUSH MALE TEE NL FITXFIT 1/2X1/2X1/230/120		23.56	
		BPMT3/4NL	BRS PUSH MALE TEE NL FITXFIT 3/4X3/4X3/415/60		34.82	
Drop Elbow 3 hole						
		BPDE1/2NL	BRS PUSH DROP ELBOW NL FITXFPT 1/2X1/230/120		15.79	
Wall Plate Elbow 2 hole						
		BPWPE1/2NL	BRS PUSH WALL PLATE EL NL FITXFPT 1/2X1/230/120		20.19	
End Cap						
		BPECA3/8NL	BRS PUSH END CAP NL FIT 3/8	82/328	4.33	
		BPECA1/2NL	BRS PUSH END CAP NL FIT 1/2	100/400	5.62	
		BPECA3/4NL	BRS PUSH END CAP NL FIT 3/4	60/240	8.44	
		BPECA1NL	BRS PUSH END CAP NL FIT 1	30/120	13.84	
Slip Repair Coupling						
		BPSRC1/2NL	BRS PUSH REPAIR CPL NL FITXFIT 1/2X1/2	20/80	17.40	
		BPSRC3/4NL	BRS PUSH REPAIR CPL NL FITXFIT 3/4X3/4	15/60	26.06	
		BPSRC1NL	BRS PUSH REPAIR CPL NL FITXFIT 1X1	10/40	38.86	

NO LEAD Brass Push Fittings

CAUTION: FAILURE TO PROPERLY CHAMFER TUBING OD WILL RESULT IN A DAMAGED O-RING AND LEAK. FAILURE TO PROPERLY CHAMFER THE TUBE VOIDS FITTING WARRANTY.

*** STANDARD AGI DISCOUNTS
APPLY to items on this page.**



BPBVNL



BPTOOLNL



BPSTIFFNL

Part Number	Description & Size	Ctn Qty	List Price
Ball Valve			
BPBV1/2NL	BRS PUSH BALL VALVE NL FITXFIT 1/2X1/2	10/40	\$ 23.48
BPBV3/4NL	BRS PUSH BALL VALVE NL FITXFIT 3/4X3/4	7/28	35.92
BPBV1NL	BRS PUSH BALL VALVE NL FITXFIT 1X1	5/20	57.41
Removal Tool			
BPTOOL3/8NL	BRS PUSH REMOVAL TOOL NL 3/8	150/600	0.22
BPTOOL1/2NL	BRS PUSH REMOVAL TOOL NL 1/2	150/600	0.30
BPTOOL3/4NL	BRS PUSH REMOVAL TOOL NL 3/4	100/400	0.43
BPTOOL1NL	BRS PUSH REMOVAL TOOL NL 1	50/200	0.55
Stiffener for PEX			
BPSTIFF3/8NL	BRS PUSH PEX STIFFENER NL 3/8	400/1600	0.43
BPSTIFF1/2NL	BRS PUSH PEX STIFFENER NL 1/2	400/1600	0.43
BPSTIFF3/4NL	BRS PUSH PEX STIFFENER NL 3/4	200/800	0.62
BPSTIFF1NL	BRS PUSH PEX STIFFENER NL 1	150/600	0.86

